

DECLARATION OF PERFORMANCE

No.: Gyptone_BIG_LE_2603

(1) *Unique identification code of the product-type*
Gyptone_BIG_LE_2603

(2) *Intended use/es*
For use in wall and ceiling applications

(3) *Manufacturer*
SAINT-GOBAIN RIGIPS GmbH
Willstätterstraße 60
D-40549 Düsseldorf

(4) *Authorised representative*
N/A

(5) *System/s of AVCP*
System 3 for reaction to fire
System 4 for all other properties

(6a) *Harmonised standard*
EN 14190:2014

Notified body/ies
RISE Research Institutes of Sweden AB (0402)

(6b) *European Assessment Document*
N/A

European Technical Assessment
N/A

Technical Assessment Body
N/A

Notified body/ies
N/A

(7) Declared performance/s

Essential characteristics	Performance
Reaction to fire	A2-s1, d0 (C.4)
Shear strength (for stiffening of timber frame outer walls and timber roof constructions)	NPD
Flexural strength	Passed
Stability of ceiling elements	NPD
Water vapour permeability (to control water vapour diffusion) specified as water vapour diffusion resistance	NPD
Thermal resistance specified as thermal conductivity	NPD
Dangerous substances	NPD
Impact resistance Airborne sound insulation Acoustic absorption	See system documentation of SAINT-GOBAIN RIGIPS GmbH or from the local supplier (www.rigips.de)

(8) Appropriate Technical Documentation and/or Specific Technical Documentation
N/A

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Düsseldorf, 02. April 2026



Cordula Gudduschat, Managing Director



Stephan Behle, Director R&D ISOVER/RIGIPS, Germany

The above Declaration of Performance is valid for the following products:

Gyptone BIG
Gyptone BIG Base 31
Gyptone BIG Base 35
Gyptone BIG Line 5
Gyptone BIG Line 6
Gyptone BIG Quattro 40
Gyptone BIG Quattro 41
Gyptone BIG Quattro 41-1
Gyptone BIG Quattro 41-2
Gyptone BIG Quattro 42
Gyptone BIG Quattro 43
Gyptone BIG Quattro 44
Gyptone BIG Quattro 46
Gyptone BIG Quattro 47
Gyptone BIG Quattro 71
Gyptone BIG Sixto 63
Gyptone BIG Sixto 65

Template for the CE marking to be affixed to the product:

CE	
SAINT-GOBAIN RIGIPS GmbH Willstätterstraße 60 D-40549 Düsseldorf 15 Gyptone BIG LE 2603 EN 14190:2014	
For use in wall and ceiling applications 0402	
Reaction to fire	A2-s1, d0 (C.4)
Flexural strength	Passed
Impact resistance	See system documentation of
Airborne sound insulation	SAINT-GOBAIN RIGIPS
Acoustic absorption	GmbH or from the local supplier (www.rigips.de)