

Issuing Date 27-Jul-2023

Revision Date 27-Jul-2023

Revision Number 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name Glasroc H TILEBACKER

Synonyms None

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Internal linings in buildings

Uses advised against No specific uses advised against are identified

1.3. Details of the supplier of the safety data sheet

Supplier

Saint-Gobain Construction Products (Ireland) Limited
Unit 4 Kilcarbery Business Park
Nangor Road
Dublin 22
D22 R2Y7
Ireland
Tel: +353 (0)1 629 8444

For further information, please contact

E-mail address enquiries@gyproc.ie

1.4. Emergency telephone number

Emergency telephone ROI: 1800 744480
NI: 0845 3990159
(Monday - Friday, 9am - 5pm)

Emergency telephone - Contact number	
Europe	112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

Hazard statements

Not classified.

Additional information

As supplied, this product does not meet the requirements for labelling.

Biocide Labelling: Glasroc H TileBacker is a treated article which incorporates a biocidal product., The product contains an antifungal additive to prevent the degradation of the product by microorganisms. Contains active substance: Sodium pyrithione. Avoid generation and spreading of dust. Avoid contact with eyes. Do not discharge into drains or watercourses or onto the ground

2.3. Other hazards

The product does not contain any substance(s) classified as PBT or vPvB. Cutting and handling may create dust. Product dust may be irritating to eyes, skin and respiratory system. Sharp edges and corners may cause cuts and abrasions.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Calcium sulfate dihydrate with a glass fibre tissue immediately below the surface of the board on both sides and a core reinforced with glass fibre rovings. Natural board constituents may include minor amounts of quartz. The pre-primed acrylic surface provides a level of water resistance. Boards contain an antifungal additive.

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Calcium sulfate dihydrate 7778-18-9	50 - 100%	01-2119444918-26-XXXX	231-900-3	[C]	-	-	-
Sodium pyrithione 3811-73-2	<0.05	01-2119493385-28-XXXX	(613-344-00-7) 223-296-5	Acute Tox. 4 (H302) Acute Tox. 3 (H311) Acute Tox. 3 (H331) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) STOT RE 1 (H372) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	-	100	-

[C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATE_{mix}) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Calcium sulfate dihydrate 7778-18-9	> 2000	-	> 3.26	-	-
Sodium pyrithione 3811-73-2	500 ⁺	790 ⁺ 1800	0.5 ⁺	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures**4.1. Description of first aid measures**

General advice	Get medical attention if irritation or other symptoms occur. Take a copy of the Safety Data Sheet when going for medical treatment.
Inhalation	Not an expected route of exposure. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. IF exposed or concerned: Get medical advice/attention.
Eye contact	Not an expected route of exposure. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	Wash skin with soap and water. Get medical attention if irritation develops and persists.
Ingestion	IF SWALLOWED: Rinse mouth thoroughly with water. Drink 1 or 2 glasses of water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical attention immediately if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Harmful dust may be released during cutting or grinding process. Product dust may be irritating to eyes, skin and respiratory system. May cause discomfort if swallowed. Prolonged contact may cause redness and irritation.
Effects of Exposure	No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Treat symptomatically.
------------------------	------------------------

SECTION 5: Firefighting measures**5.1. Extinguishing media**

Suitable Extinguishing Media	Dry chemical, CO ₂ , alcohol-resistant foam or water spray. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
-------------------------------------	--

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical None known based on information supplied.

Hazardous combustion products Harmful gases or vapours. Oxides of sulphur. Carbon monoxide. Carbon dioxide (CO₂).

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Wear personal protective clothing (see section 8). Avoid breathing dust. Avoid contact with eyes. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Wash thoroughly after handling.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Collect spillage. Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use personal protection recommended in Section 8. Clear up spills immediately and dispose of waste safely. Stay upwind. Collect spillage. Sweep up and shovel into suitable containers for disposal. Avoid generation of dust. Prevent product from entering drains. After cleaning, flush away traces with water. Wash thoroughly after handling. Dispose of wastes in an approved waste disposal facility.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information See Section 11 for more information See section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Read carefully and follow all instructions. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. See section 8 for more information. Keep away from food, drink and animal feedingstuffs. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Minimise dust generation and accumulation. Do not breathe dust. Ensure adequate ventilation.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and after work. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Store away from incompatible materials. Store in accordance with local regulations. Store in a cool, well ventilated area. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep away from combustible material.

7.3. Specific end use(s)

Specific use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits Exposure to these ingredients as inhalable or respirable dust is minimal during normal use. Avoid generation of dust.

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Calcium sulfate dihydrate 7778-18-9	-	TWA: 5 mg/m ³ STEL 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10.0 mg/m ³	-
Paraffin waxes and Hydrocarbon waxes 8002-74-2	-	-	TWA: 2 mg/m ³	-	TWA: 2 mg/m ³ STEL: 6 mg/m ³
Quartz (SiO ₂) 14808-60-7	TWA: 0.1 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³
Sodium pyrithione 3811-73-2	-	TWA: 1 mg/m ³ STEL 4 mg/m ³ H*	-	-	-
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Paraffin waxes and Hydrocarbon waxes 8002-74-2	-	-	TWA: 2 mg/m ³ STEL: 4 mg/m ³	TWA: 2 mg/m ³	TWA: 1 mg/m ³
Quartz (SiO ₂) 14808-60-7	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.3 mg/m ³ TWA: 0.1 mg/m ³ STEL: 0.6 mg/m ³ STEL: 0.2 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.05 mg/m ³
Sodium pyrithione 3811-73-2	-	-	TWA: 1 mg/m ³ H* STEL: 2 mg/m ³	-	-
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Calcium sulfate dihydrate 7778-18-9	TWA: 10 mg/m ³	TWA: 6 mg/m ³	-	-	TWA: 41.5 mg/m ³
Paraffin waxes and Hydrocarbon waxes 8002-74-2	TWA: 2 mg/m ³	-	-	TWA: 2 mg/m ³ STEL: 6 mg/m ³	-
Quartz (SiO ₂) 14808-60-7	TWA: 0.1 mg/m ³	-	-	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³
Sodium pyrithione 3811-73-2	-	TWA: 0.2 mg/m ³ H*	TWA: 0.2 mg/m ³ Peak: 0.4 mg/m ³ *	-	-
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Calcium sulfate dihydrate	TWA: 10 mg/m ³	-	TWA: 10 mg/m ³	TWA: 4 mg/m ³	-

7778-18-9	STEL: 30 mg/m ³				
Paraffin waxes and Hydrocarbon waxes 8002-74-2	TWA: 2 mg/m ³ STEL: 6 mg/m ³	-	TWA: 2 mg/m ³	-	-
Quartz (SiO ₂) 14808-60-7	TWA: 0.1 mg/m ³ STEL: 0.3 mg/m ³ (Silica, crystalline, respirable dust) TWA: 6 mg/m ³ TWA: 2.4 mg/m ³ (Silica, amorphous)	TWA: 0.1 mg/m ³	TWA: 0.025 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 ppm
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Calcium sulfate dihydrate 7778-18-9	-	-	-	-	TWA: 10 mg/m ³
Paraffin waxes and Hydrocarbon waxes 8002-74-2	-	-	-	TWA: 2 mg/m ³ STEL: 4 mg/m ³	TWA: 2 mg/m ³
Quartz (SiO ₂) 14808-60-7	-	-	TWA: 0.075 mg/m ³	TWA: 0.05 mg/m ³ TWA: 0.1 mg/m ³ TWA: 0.3 mg/m ³ STEL: 0.9 mg/m ³ STEL: 0.15 mg/m ³ STEL: 0.3 mg/m ³	TWA: 0.1 mg/m ³
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Calcium sulfate dihydrate 7778-18-9	TWA: 10 mg/m ³	-	TWA: 4 mg/m ³ TWA: 1.5 mg/m ³	TWA: 6 mg/m ³	TWA: 10 mg/m ³
Paraffin waxes and Hydrocarbon waxes 8002-74-2	TWA: 2 mg/m ³	TWA: 2 mg/m ³ STEL: 6 mg/m ³	TWA: 2 mg/m ³ Ceiling: 6 mg/m ³	-	TWA: 2 mg/m ³
Quartz (SiO ₂) 14808-60-7	TWA: 0.025 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³ STEL: 0.5 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.05 mg/m ³
Sodium pyrithione 3811-73-2	-	-	-	TWA: 1 mg/m ³ STEL: 2 mg/m ³ K*	-
Chemical name	Sweden		Switzerland		United Kingdom
Calcium sulfate dihydrate 7778-18-9	-		TWA: 3 mg/m ³ TWA: 10 mg/m ³		TWA: 10 mg/m ³ TWA: 4.0 mg/m ³
Paraffin waxes and Hydrocarbon waxes 8002-74-2	-		TWA: 2 mg/m ³		TWA: 2 mg/m ³ STEL: 6 mg/m ³
Quartz (SiO ₂) 14808-60-7	NGV: 0.1 mg/m ³		TWA: 0.15 mg/m ³		TWA: 0.1 mg/m ³ (Silica, respirable crystalline) TWA: 6 mg/m ³ TWA: 2.4 mg/m ³ (Silica, amorphous)
Glass fibre -	-		-		TWA: 2 fibre/mL TWA: 5 mg/m ³
Sodium pyrithione 3811-73-2	-		TWA: 0.2 mg/m ³ STEL: 0.4 mg/m ³ H*		-

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Paraffin waxes and Hydrocarbon waxes 8002-74-2	-	(-)	-	-	-

Quartz (SiO ₂) 14808-60-7	-	(-)	-	-	-
--	---	-------	---	---	---

Derived No Effect Level (DNEL) - Workers No information available

Chemical name	Oral	Dermal	Inhalation
Calcium sulfate dihydrate 7778-18-9	-	-	21.17 mg/m ³ [4] [6] 5082 mg/m ³ [4] [7]

Derived No Effect Level (DNEL) - General Public No information available.

Chemical name	Oral	Dermal	Inhalation
Calcium sulfate dihydrate 7778-18-9	1.52 mg/kg bw/day [4] [6] 11.4 mg/kg bw/day [4] [7]	-	5.29 mg/m ³ [4] [6] 3811 mg/m ³ [4] [7]

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Calcium sulfate dihydrate 7778-18-9	-	-	100 mg/L	-	-

8.2. Exposure controls

Engineering controls

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Apply technical measures to comply with the occupational exposure limits.

Personal protective equipment

Eye/face protection

If there is a risk of contact: Tight sealing safety goggles. Eye protection must conform to standard EN 166.

Hand protection

Repeated or prolonged contact: Wear suitable gloves. During cutting, grinding or sanding operations, wear protective gloves if handling sharp or rough edges.

Skin and body protection

No special protective equipment required.

Respiratory protection

Harmful dust may be released during cutting or grinding process. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Dust mask for dust formation. Disposable filtering half mask respirators should comply with European Standard EN149 or EN405. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and after work. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash it before reuse.

Environmental exposure controls

Avoid creating dust.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Flat sheet boards in different lengths and thicknesses, with a square edge
Physical state	Solid
Colour	Brown, white
Odour	Odourless
Odour threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point		No data available
Initial boiling point and boiling range		No data available
Flammability		No data available
Flammability Limit in Air		
Upper flammability or explosive limits		No data available
Lower flammability or explosive limits		No data available
Flash point		No data available
Autoignition temperature		No data available
Decomposition temperature		No data available
pH		No data available
pH (as aqueous solution)		No data available
Kinematic viscosity		No data available
Dynamic viscosity		No data available
Water solubility		No data available
Solubility(ies)		No data available
Partition coefficient		No data available
Vapour pressure		No data available
Relative density		No data available
Bulk density		No data available
Liquid Density		No data available
Relative vapour density		No data available
Particle characteristics		
Particle Size		No data available
Particle Size Distribution		No data available

9.2. Other information

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity None under normal use conditions.

10.2. Chemical stability

Stability Stable under normal conditions. Stable under recommended storage conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Dust formation. Extremes of temperature and direct sunlight.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation	Harmful dust may be released during cutting or grinding process. Inhalation of dust in high concentration may cause irritation of respiratory system.
Eye contact	Not an expected route of exposure. Dust contact with the eyes can lead to mechanical irritation.
Skin contact	Prolonged contact may cause redness and irritation. Contact with dust can cause mechanical irritation or drying of the skin.
Ingestion	Not an expected route of exposure. May cause gastrointestinal discomfort.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Product dust may be irritating to eyes, skin and respiratory system. May cause discomfort if swallowed. Prolonged contact may cause redness and irritation.

Acute toxicity

Numerical measures of toxicity

No information available.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium sulfate dihydrate	> 2000 mg/kg (Rat)	-	> 3.26 mg/l
Paraffin waxes and Hydrocarbon waxes	> 5000 mg/kg (Rat)	> 3600 mg/kg (Rabbit)	-
Sodium pyrithione	= 500 mg/kg	= 790 mg/kg (Rabbit)	= 0.5 mg/L

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

Component Information	
Calcium sulfate dihydrate (7778-18-9)	
Method	OECD Test No. 404: Acute Dermal Irritation/Corrosion
Exposure route	Dermal
Effective dose	0.5 g
Exposure time	4 hours
Results	non-irritant

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Component Information	
Calcium sulfate dihydrate (7778-18-9)	
Method	OECD Test No. 405: Acute Eye Irritation/Corrosion
Exposure route	Eye
Effective dose	0.1 g
Results	non-irritant

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Component Information	
Calcium sulfate dihydrate (7778-18-9)	
Method	OECD Test No. 406: Skin Sensitisation
Exposure route	Dermal
Results	Not a skin sensitiser

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Component Information	
Calcium sulfate dihydrate (7778-18-9)	
Method	OECD Test No. 471: Bacterial Reverse Mutation Test
Species	in vitro
Results	Not mutagenic

Method	OECD Test No. 474: Mammalian Erythrocyte Micronucleus Test
Species	in vivo
Results	Not mutagenic

Carcinogenicity Based on available data, the classification criteria are not met.**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT - single exposure** Based on available data, the classification criteria are not met.**STOT - repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Not applicable.**11.2. Information on other hazards****11.2.1. Endocrine disrupting properties****Endocrine disrupting properties** This product does not contain any known or suspected endocrine disruptors.

11.2.2. Other information

Other adverse effects None known based on information supplied.

SECTION 12: Ecological information**12.1. Toxicity**

Ecotoxicity Based on available data, the classification criteria are not met. Large or frequent spills may have hazardous effects on the environment. The product contains a substance which is very toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment. Contains active substance: Sodium pyrithione.

Component Information	
Calcium sulfate dihydrate (7778-18-9)	
Results	Not toxic at limit of water solubility

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Calcium sulfate dihydrate 7778-18-9	-	LC50: =2980mg/L (96h, Lepomis macrochirus) LC50: >1970mg/L (96h, Pimephales promelas)	-	-
Sodium pyrithione 3811-73-2	LC50: =0.46 mg/l (72h, Pseudokirchneriella subcapitata)	LC50: =7.3 µg/l (48h, Oncorhynchus mykiss)	-	LC50: =22 µg/l (48h, Daphnia magna)

12.2. Persistence and degradability

Persistence and degradability No information available.

Component Information			
Calcium sulfate dihydrate (7778-18-9)			
Method	Exposure time	Value	Results
-	-	-	Substance is inorganic. Not relevant

Sodium pyrithione (3811-73-2)			
Method	Exposure time	Value	Results
OECD Test No. 301B: Ready Biodegradability: CO2 Evolution Test (TG 301 B)	18 days	60%	Readily biodegradable

12.3. Bioaccumulative potential

Bioaccumulation No information available.

Chemical name	Partition coefficient
Sodium pyrithione	-2.38

12.4. Mobility in soil

Mobility in soil No information available.

Mobility Insoluble in water.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Calcium sulfate dihydrate 7778-18-9	The substance is not PBT / vPvB
Paraffin waxes and Hydrocarbon waxes 8002-74-2	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors.

12.7. Other adverse effects

Other adverse effects None known based on information supplied.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Waste from residues/unused products The generation of waste should be minimised or avoided wherever possible. Recover or recycle if possible. This material and its container must be disposed of in a safe way. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Waste codes / waste designations according to EWC / AVV According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

IMDG	Not regulated
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not applicable
14.5 Environmental hazards	Not applicable
14.6 Special Precautions for Users	
Special Provisions	None
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID	Not regulated
14.1 UN number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not applicable
14.5 Environmental hazards	Not applicable
14.6 Special Precautions for Users	
Special Provisions	None

ADR	Not regulated
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not applicable
14.5 Environmental hazards	Not applicable
14.6 Special Precautions for Users	
Special Provisions	None

IATA	Not regulated
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not applicable
14.5 Environmental hazards	Not applicable
14.6 Special Precautions for Users	
Special Provisions	None
Note:	None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical name	French RG number
Paraffin waxes and Hydrocarbon waxes 8002-74-2	RG 36
Quartz (SiO ₂) 14808-60-7	RG 25

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins
Quartz (SiO ₂)	Present	-	-

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Sodium pyrithione - 3811-73-2	75.	-

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Chemical name	EU - Plant Protection Products (1107/2009/EC)
Quartz (SiO ₂) - 14808-60-7	Plant protection agent

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
Sodium pyrethrin - 3811-73-2	Product-type 2: Disinfectants and algaecides not intended for direct application to humans or animals Product-type 6: Preservatives for products during storage Product-type 7: Film preservatives Product-type 9: Fibre, leather, rubber and polymerised materials preservatives Product-type 10: Construction material preservatives Product-type 13: Working or cutting fluid preservatives

International Inventories

Contact supplier for inventory compliance status

15.2. Chemical safety assessment

Chemical Safety Report Not applicable

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

ATE: Acute Toxicity Estimate
 SVHC: Substances of Very High Concern for Authorisation:
 PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
 vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
SCBA	Self-contained breathing apparatus		

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
 European Chemicals Agency (ECHA) (ECHA_API)
 EPA (Environmental Protection Agency)
 Acute Exposure Guideline Level(s) (AEGL(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 Japan GHS Classification
 Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Issuing Date	27-Jul-2023
Supersedes date	17-Dec-2020
Revision Date	27-Jul-2023
Revision Note	Document reviewed.
Further information	This SDS is not mandated under REACH Regulation (EC) No 1907/2006 and is provided for information only

This safety data sheet complies with the requirements of Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet