

Supersedes date 02-Aug-2023

Revision date 09-Oct-2025

Revision Number 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name Glasroc X Sealant
Unique Formula Identifier (UFI) 31V2-60F5-G003-1RK1
Synonyms None
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant
Uses advised against No specific uses advised against are identified

1.3. Details of the supplier of the safety data sheet

Supplier
 Saint-Gobain Construction Products (Ireland) Limited
 Unit 4 Kilcarbery Business Park
 Nangor Road
 Dublin 22
 D22 R2Y7
 Ireland
 Tel: +353 (0)1 629 8444

For further information, please contact

E-mail address enquiries@gyproc.ie

1.4. Emergency telephone number

Emergency telephone ROI: 1800 744480
 NI: 0845 3990159
 (Monday - Friday, 9am - 5pm)

Emergency telephone - Contact number	
Europe	112
Ireland	National Poisons Information Centre: +353 (0)1 809 2166 (General public)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye irritation	Category 2 - (H319)
----------------	---------------------

2.2. Label elements

**Signal word**

Warning

Hazard statements

H319 - Causes serious eye irritation.

EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Precautionary Statements - EU (§28, 1272/2008)

P102 - Keep out of reach of children.

P264 - Wash contaminated skin thoroughly after handling.

P280 - Wear protective gloves, protective clothing, eye protection and face protection.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice/attention.

P501 - Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards**Other hazards** No information available.**PBT or vPvB properties** None known.**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.**SECTION 3: Composition/information on ingredients****3.1 Substances**

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No. (Index No.)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	Notes
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	>= 5 - < 10	01-2119489379-17-XXXX	236-675-5 (022-006-00-2)	[C]	-	-	-	-
Bis(ethyl acetoacetato-O1',O3) bis(2-methylpropan-1-olato)titanium 83877-91-2	1 - <2.5	01-2119968551-31-XXXX	281-161-6	Flam. Liq. 3 (H226) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) STOT SE 3 (H335, H336)	-	-	-	-
Methanol	< 1	01-2119433307-	200-659-6	Flam. Liq. 2 (H225)	STOT SE 1 ::	-	-	-

67-56-1		44-XXXX	(603-001-00-X)	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370)	C>=10% STOT SE 2 :: 3%<=C<10%			
---------	--	---------	----------------	---	-------------------------------------	--	--	--

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

[C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATE_{mix}) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	2002	No data available	5.0951	No data available	No data available
Bis(ethyl acetoacetato-O1',O3)bis(2-methylpropan-1-olato)titanium 83877-91-2	> 2000	-	-	> 18180	-
Methanol 67-56-1	6200	15840	No data available	41.6976	No data available

This product does not contain candidate substances of very high concern at a concentration ≥0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59).

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	Remove person to fresh air and keep comfortable for breathing. Get medical attention immediately if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	Wash skin with soap and water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Never give anything by mouth to an unconscious person.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. May cause redness and tearing of the eyes. Burning sensation. Prolonged contact may cause redness and irritation.
Effects of Exposure	None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Treat symptomatically.
------------------------	------------------------

SECTION 5: Firefighting measures**5.1. Extinguishing media**

Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO ₂). Water spray. Alcohol resistant foam. Use extinguishing agent suitable for type of surrounding fire.
Unsuitable extinguishing media	Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	Keep product and empty container away from heat and sources of ignition.
Hazardous combustion products	Carbon oxides. Carbon monoxide.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Personal precautions	Keep people away from and upwind of spill/leak. Do not handle until all safety precautions have been read and understood. Wear personal protective clothing (see section 8). Evacuate personnel to safe areas. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Do not touch or walk through spilled material.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions	Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.
----------------------------------	---

6.3. Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Clear up spills immediately and dispose of waste safely. Small spill: Wipe up with absorbent material (eg. cloth, fleece). Large spill: Cover liquid spill with sand, earth or other noncombustible absorbent material. Pick up and transfer to properly labelled containers. After cleaning, flush away traces with water. Wash thoroughly after handling.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wear personal protective equipment. Read carefully and follow all instructions. Keep out of reach of children. Keep away from food, drink and animal feedingstuffs. Keep container closed when not in use. Avoid breathing vapour or mist.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a dry place. Store in a closed container. Store away from incompatible materials.

7.3. Specific end use(s)

Specific use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union			
Methanol 67-56-1	TWA: 200 ppm; TWA: 260 mg/m ³ ; pSk			
Chemical name	Austria	Belgium	Bulgaria	Croatia
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	TWA-TMW: 5 mg/m ³ ; alveolar dust, respirable fraction STEL-KZGW: 10 mg/m ³ (2 X 60 min); alveolar dust, respirable fraction C	TWA: 10 mg/m ³ ;	TWA: 10.0 mg/m ³ ; respirable dust	TWA-GVI: 10 mg/m ³ ; total dust, inhalable particles TWA-GVI: 4 mg/m ³ ; respirable dust
Methanol 67-56-1	TWA-TMW: 200 ppm; TWA-TMW: 260 mg/m ³ ; STEL-KZGW: 800 ppm (4 X 15 min); STEL-KZGW: 1040 mg/m ³ (4 X 15 min); Sk	TWA: 200 ppm; TWA: 266 mg/m ³ ; STEL: 250 ppm; STEL: 333 mg/m ³ ; Sd	TWA: 200 ppm; TWA: 260.0 mg/m ³ ; Sk	TWA-GVI: 200 ppm; TWA-GVI: 260 mg/m ³ ; Sk
Chemical name	Cyprus	Czech Republic	Denmark	Estonia
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic	-	-	TWA: 6 mg/m ³ ; STEL: 12 mg/m ³ ;	TWA: 5 mg/m ³ ;

diameter ≤10 µm] 13463-67-7				
Methanol 67-56-1	TWA: 200 ppm; TWA: 260 mg/m ³ ; pSk	TWA: 250 mg/m ³ ; Ceiling: 1000 mg/m ³ ; pSk	TWA: 200 ppm; TWA: 260 mg/m ³ ; STEL: 400 ppm; STEL: 520 mg/m ³ ; pSk	TWA: 200 ppm; TWA: 250 mg/m ³ ; STEL: 250 ppm; STEL: 350 mg/m ³ ; Sk
Chemical name	Finland	France	Germany TRGS	Germany DFG
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	-	TWA-VME: 10 mg/m ³ ;	TWA-AGW; 10 mg/m ³ (2(II)); inhalable fraction TWA-AGW; 1.25 mg/m ³ (); respirable fraction	TWA-MAK: 0.3 mg/m ³ ; I I(8); respirable fraction
Methanol 67-56-1	TWA: 200 ppm; TWA: 270 mg/m ³ ; STEL: 250 ppm; STEL: 330 mg/m ³ ; pSk	TWA-VME (restrictif): 2 00 ppm; TWA-VME (restrictif): 2 60 mg/m ³ ; STEL-VLCT (restrictif): 1000 ppm; STEL-VLCT (restrictif): 1300 mg/m ³ ; dSk	TWA-AGW; 100 ppm (2(II)); TWA-AGW; 130 mg/m ³ (2(II)); Sk	TWA-MAK: 100 ppm; II(2); TWA-MAK: 130 mg/m ³ ; II(2);
Chemical name	Greece	Hungary	Italy MDLPS	Italy AIDII
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	TWA: 10 mg/m ³ ; inhalable fraction TWA: 5 mg/m ³ ; respirable fraction	-	-	TWA: 10 mg/m ³ ;
Methanol 67-56-1	TWA: 200 ppm; TWA: 260 mg/m ³ ; STEL: 250 ppm; STEL: 325 mg/m ³ ; pSk	TWA-AK: 260 mg/m ³ ; TWA-AK: 200 ppm; pSk	TWA: 200 ppm; TWA: 260 mg/m ³ ; pSk	TWA: 200 ppm; TWA: 262 mg/m ³ ; STEL (REL): 250 ppm; STEL (REL): 328 mg/m ³ ; pSk
Chemical name	Ireland	Latvia	Lithuania	Luxembourg
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	TWA: 10 mg/m ³ ; total inhalable dust TWA: 4 mg/m ³ ; respirable dust STEL: 30 mg/m ³ (calculated); res pirable dust STEL: 12 mg/m ³ (calculated);	TWA: 10 mg/m ³ ;	TWA-IPRD: 5 mg/m ³ ;	-
Methanol 67-56-1	TWA: 200 ppm; TWA: 260 mg/m ³ ; STEL: 600 ppm (calculated); STEL: 780 mg/m ³ (calculated); pSk	TWA: 200 ppm; TWA: 260 mg/m ³ ; pSk	TWA-IPRD: 200 ppm; TWA-IPRD: 260 mg/m ³ ; Sk	TWA: 200 ppm; TWA: 260 mg/m ³ ; pSk
Chemical name	Malta	Netherlands	Norway	Poland
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	-	-	TWA: 5 mg/m ³ ; STEL: 10 mg/m ³ (value calculated);	TWA-NDS: 10 mg/m ³ ; inhalable fraction STEL-NDSCh: 30 mg/m ³ ;
Bis(ethyl	-	-	-	TWA-NDS: 10 mg/m ³ ;

acetoacetato-O1',O3)bis(2-methylpropan-1-olato)titanium 83877-91-2				STEL-NDSch: 30 mg/m ³ ;
Methanol 67-56-1	TWA: 200 ppm; TWA: 260 mg/m ³ ; pSk	TWA: 100 ppm; TWA: 133 mg/m ³ ; Sk	TWA: 100 ppm; TWA: 130 mg/m ³ ; STEL: 150 ppm (value calculated); STEL: 162.5 mg/m ³ (value calculated); Sk	TWA-NDS: 100 mg/m ³ ; STEL-NDSch: 300 mg/m ³ ; Prohibited - substances or mixtures containing Methanol in weight concentration >3%;except fuels used in the model building, powerboating, fuel cells and biofuels Sk
Chemical name	Portugal	Romania	Slovakia	Slovenia
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	TWA (VLE-MP): 10 mg/m ³ ;	TWA: 10 mg/m ³ ; STEL: 15 mg/m ³ ;	TWA: 5 mg/m ³ ;	-
Methanol 67-56-1	TWA (VLE-MP): 200 ppm; TWA (VLE-MP): 260 mg/m ³ ; STEL (VLE-CD): 250 ppm; pSk	TWA: 200 ppm; TWA: 260 mg/m ³ ; Sk	TWA: 200 ppm; TWA: 260 mg/m ³ ; pSk	TWA: 200 ppm; TWA: 260 mg/m ³ ; STEL: 800 ppm; STEL: 1040 mg/m ³ ; pSk
Chemical name	Spain	Sweden	Switzerland	United Kingdom
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	TWA-(VLA-ED): 10 mg/m ³ ;	TLV-NGV: 5 mg/m ³ ; total dust	TWA-MAK: 3 mg/m ³ ; respirable dust TWA-MAK: 10 mg/m ³ ; inhalable dust	TWA: 10 mg/m ³ ; total inhalable TWA: 4 mg/m ³ ; respirable STEL: 30 mg/m ³ ; total inhalable STEL: 12 mg/m ³ ; respirable
Methanol 67-56-1	TWA-(VLA-ED): 200 ppm; TWA-(VLA-ED): 266 mg/m ³ ; pSk	TLV-NGV: 200 ppm; TLV-NGV: 250 mg/m ³ ; STEL (Vägledande KGV): 250 ppm; STEL (Vägledande KGV): 350 mg/m ³ ; Sk	TWA-MAK: 200 ppm; TWA-MAK: 260 mg/m ³ ; STEL-KZGW: 400 ppm; STEL-KZGW: 520 mg/m ³ ; Sk	TWA: 200 ppm; TWA: 266 mg/m ³ ; STEL: 250 ppm; STEL: 333 mg/m ³ ; pSk

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Methanol 67-56-1	-	-	-	7.0 mg/g Creatinine - urine (Methanol) - at the end of the work shift	0.47 mmol/L (urine - Methanol end of shift) 15 mg/L (urine - Methanol end of shift)
Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
Methanol 67-56-1	-	-	- urine (Methanol) - end of shift	15 mg/L (urine - Methanol at the end of the shift, in case of long-term	15 mg/L (urine - Methanol at the end of the shift, in case of long-term

Chemical name	Hungary	Ireland	Italy MDLPS	Italy AIDII
Methanol 67-56-1	30 mg/L (urine - Methanol end of shift) 940 µmol/L (urine - Methanol end of shift)	15 mg/L (urine - Methanol end of shift)	-	15 mg/L - urine (Methanol) - end of shift
Chemical name	Latvia	Luxembourg	Romania	Slovakia
Methanol 67-56-1	-	-	6 mg/L - urine (Methanol) - end of shift	30 mg/L (urine - Methanol end of exposure or work shift) 30 mg/L (urine - Methanol after all work shifts)
Chemical name	Slovenia	Spain	Switzerland	United Kingdom
Methanol 67-56-1	15 mg/L - urine (Methanol) - at the end of the work shift; for long-term exposure: at the end of the work shift after several consecutive workdays	15 mg/L (urine - Methanol end of shift)	30 mg/L (urine - Methanol end of shift, and after several shifts (for long-term exposures)) 936 µmol/L (urine - Methanol end of shift, and after several shifts (for long-term exposures))	-

Derived No Effect Level (DNEL) - Workers No information available

Chemical name	Oral	Dermal	Inhalation
Bis(ethyl acetoacetato-O1',O3)bis(2-methylpropan-1-olato)titanium 83877-91-2	-	-	254 mg/m ³ [4] [6]
Methanol 67-56-1	-	20 mg/kg bw/day [4] [6] 20 mg/kg bw/day [4] [7]	130 mg/m ³ [4] [6] 130 mg/m ³ [4] [7] 130 mg/m ³ [5] [6] 130 mg/m ³ [5] [7]

Notes

- [4] Systemic health effects.
 [5] Local health effects.
 [6] Long term.
 [7] Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
Bis(ethyl acetoacetato-O1',O3)bis(2-methylpropan-1-olato)titanium 83877-91-2	22 mg/kg bw/day [4] [6]	-	303 mg/m ³ [4] [6]
Methanol 67-56-1	4 mg/kg bw/day [4] [6] 4 mg/kg bw/day [4] [7]	4 mg/kg bw/day [4] [6] 4 mg/kg bw/day [4] [7]	26 mg/m ³ [4] [6] 26 mg/m ³ [4] [7] 26 mg/m ³ [5] [6] 26 mg/m ³ [5] [7]

Notes

[4]	Systemic health effects.
[5]	Local health effects.
[6]	Long term.
[7]	Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
Bis(ethyl acetoacetato-O1',O3)bis(2-methylpropan-1-olato)titanium 83877-91-2	0.1 mg/L	1 mg/L	0.01 mg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Bis(ethyl acetoacetato-O1',O3)bis(2-methylpropan-1-olato)titanium 83877-91-2	0.0816 mg/kg sediment dw	0.0082 mg/kg sediment dw	28 mg/L	0.019 mg/kg soil dw	-

8.2. Exposure controls**Engineering controls**

As this product contains ingredients with exposure limits, process enclosures, local exhaust ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits, if use generates dust, fumes, gas, vapour or mist. Provide extract ventilation at the points where emissions occur. Ensure the ventilation system is regularly maintained and tested.

Personal protective equipment**Eye/face protection**

Eye protection must conform to standard EN 166. Wear safety glasses with side shields (or goggles).

Hand protection

Wear suitable gloves. Gloves must conform to standard EN 374. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

Gloves			
Break through time	Duration of contact	PPE - Glove material	Glove thickness
> 30 minutes			
> 30 minutes			

Skin and body protection

Wear suitable protective clothing. Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. (EN 689 –

Methods for determining inhalation exposure). In case of insufficient ventilation, wear suitable respiratory equipment. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Air purifying respirator equipped with organic gas/vapor cartridge (type A or AX). A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm.

Organic gases and vapours filter conforming to EN 14387.

Environmental exposure controls Prevent product from entering drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Paste
Physical state	Liquid
Colour	Varies
Odour	Characteristic
Odour threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point		No data available
Boiling point or initial boiling point and boiling range		No data available
Flammability		No data available
Lower and upper explosion limit/flammability limit		
Lower explosion limit		No data available
Upper explosion limit		No data available
Flash point	> 93 °C	No data available
Autoignition temperature		No data available
Decomposition temperature		No data available
SADT (°C)		No data available
pH		No data available
pH (as aqueous solution)		No data available
Kinematic viscosity	> 20.5 mm ² /s @ 40°C	No data available
Dynamic viscosity		No data available
Water solubility	Insoluble in water	No data available
Solubility		No data available
Partition coefficient n-octanol/water (log value)		No data available
Vapour pressure	0.01 hPa	No data available
Density and/or relative density	1.35 g/cm ³	No data available
Bulk density		No data available
Liquid Density		No data available
Relative vapour density		No data available
Particle characteristics		
Particle Size		No data available
Particle Size Distribution		No data available

9.2. Other information

Molecular weight	No information available
VOC content	No information available 0.21 %
Softening point	No information available

9.2.1. Information with regards to physical hazard classes

Explosives	
Explosive properties	No information available
Oxidising properties	No information available

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity**10.1. Reactivity**

Reactivity None under normal use conditions.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products Carbon oxides. Methanol.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Information on likely routes of exposure****Product Information**

Inhalation May cause irritation of respiratory tract.

Eye contact Causes serious eye irritation. (based on components). May cause redness, itching, and pain.

Skin contact May cause irritation. Prolonged contact may cause redness and irritation. Causes mild skin irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. May cause redness and tearing of the eyes. Burning sensation. Prolonged contact may cause redness and irritation.

Acute toxicity Based on available data, the classification criteria are not met.

Numerical measures of toxicity

The following ATE values have been calculated for the mixture:

ATE_{mix} (oral) 9,182.70 mg/kg

ATEmix (dermal) 30,303.00 mg/kg
 ATEmix (inhalation-dust/mist) 25.50 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm]	> 2000 mg/kg (Rat)	-	> 5.09 mg/L (Rat) 4 h
Methanol	= 6200 mg/kg (Rat)	= 15840 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation. Classification based on data available for ingredients. Causes mild skin irritation.

Component Information					
Bis(ethyl acetoacetato-O1',O3)bis(2-methylpropan-1-olato)titanium (83877-91-2)					
Exposure route	Effective dose	Method	Species	Exposure time	Results
	0.05 mL				

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Component Information					
Bis(ethyl acetoacetato-O1',O3)bis(2-methylpropan-1-olato)titanium (83877-91-2)					
Effective dose	Method	Species	Exposure route	Exposure time	Results
0.1 mL					

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product. Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disruption for human health This product does not contain any known or suspected endocrine disruptors.

11.2.2. Other information

Other adverse effects None known based on information supplied.

SECTION 12: Ecological information**12.1. Toxicity**

The environmental impact of this product has not been fully investigated. Based on available data, the classification criteria are not met.

Chemical name	Fish	Crustacea	Algae/aquatic plants	Toxicity to microorganisms
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]	-	LC50: 500 mg/L (48h, Daphnia magna)	EC50: 100mg/L (72h, Algae)	-
Bis(ethyl acetoacetato-O1',O3)bis(2-methylpropan-1-olato)titanium	LC50: =1460mg/L (96h, Pimephales promelas)	EC50: >29mg/L (48h, Daphnia magna)	EC50: .4mg/L (72h, Pseudokirchneriella subcapitata)	-
Methanol	LC50: =28200mg/L (96h, Pimephales promelas) LC50: >100mg/L (96h, Pimephales promelas) LC50: 19500 - 20700mg/L (96h, Oncorhynchus mykiss) LC50: 18 - 20mL/L (96h, Oncorhynchus mykiss) LC50: 13500 - 17600mg/L (96h, Lepomis macrochirus)	-	-	-

Chemical name	Earthworm	Avian	Honeybees
Methanol	Acute Toxicity: LC50 > 1 mg/cm ² (Eisenia foetida, 48 h filter paper)	-	-

12.2. Persistence and degradability No information available.

12.3. Bioaccumulative potential

Chemical name	Partition coefficient	Bioconcentration factor (BCF)	Trophic magnification factor (TMF)
Methanol	-0.77	10	-

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]	Not PBT/vPvB

Bis(ethyl acetoacetato-O1',O3)bis(2-methylpropan-1-olato)titanium	Not PBT/vPvB
Methanol	Not PBT/vPvB

12.6. Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors.

12.7. Other adverse effects

None known based on information supplied.

PMT or vPvM properties

Based on available data, the classification criteria are not met.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Waste from residues/unused products**

This material and its container must be disposed of in a safe way.

Contaminated packaging

Since empty containers retain product residue, follow label warnings even after container is emptied. Recover or recycle if possible.

Waste codes / waste designations according to EWC / AVV

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used. 08 04 09*.

SECTION 14: Transport information**IATA**

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

IMDG

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

ADR

14.1 UN number or ID number	Not regulated
14.1 UN number or ID number	Not regulated

14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

ADN	Not regulated
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not applicable
14.5 Environmental hazard	Not applicable
14.6 Special precautions for user	
Special Provisions	None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Methanol 67-56-1	RG 84

Germany

Water hazard class (WGK) slightly hazardous to water (WGK 1)

Chemical Prohibition Ordinance (ChemVerbotsV)

Not applicable.

TA Luft (German Air Pollution Control Regulation)

Chemical name	Number	Class
Methanol 67-56-1	5.2.5	Class I

TRGS 905 Not applicable

Ordinance on the Incentive Tax on Volatile Organic Compounds (OVOC) SR 814.018 Not applicable

Storage of Hazardous Material Not applicable

WPO (GSchV) SR 814.201; WPA (GSchG) SR 814.20 Not applicable

Major Accidents Ordinance SR 814.012 Not applicable

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV

Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 μm] 13463-67-7	75	-
Methanol 67-56-1	69 75	-

Persistent Organic Pollutants

Not applicable

Named dangerous substances per Seveso Directive (2012/18/EU)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Methanol 67-56-1	500	5000

Ozone-depleting substances (ODS) regulation (EC) 2024/590

Not applicable.

Explosives Precursors Marketing and Use (2019/1148)

Not applicable.

International Inventories

Contact supplier for inventory compliance status

15.2. Chemical safety assessment**Chemical Safety Report**

Not applicable.

SECTION 16: Other information**Full text of any hazard and/or precautionary statements referred to under Sections 2-15**

H226 - Flammable liquid and vapour

H315 - Causes skin irritation

H318 - Causes serious eye damage

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves, protective clothing, eye protection and face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P405 - Store locked up

P501 - Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable

Key or legend to abbreviations and acronyms used in the safety data sheet*List may include phrases which are not applicable to this product*

ACGIH	American Conference of Governmental Industrial Hygienists
AIDII	Italian Association of Industrial Hygienists
ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)

AIIC	Australian Inventory of Industrial Chemicals
ATE	Acute Toxicity Estimate
ASTM	American Society for the Testing of Materials
bar	Biological Reference Values for Chemical Compounds in the Work Area
BAT	Biological tolerance values for occupational exposure
BEL	Biological exposure limits
bw	Body weight
Ceiling	Maximum limit value
CLP	Classification, Labelling and Packaging Regulation; Regulation (EC) No 1272/2008
CMR	Carcinogen, Mutagen or Reproductive Toxicant
DFG	German Research Foundation
DOT	Department of Transportation (United States)
DSL	Domestic Substances List (Canada)
ECHA	European Chemicals Agency
EC Number	European Community number
EmS	Emergency Schedule
ENCS	Existing and New Chemical Substances (Japan)
EPA	U.S. Environmental Protection Agency
EWC	European Waste Codes
GHS	Globally Harmonized System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO	International Civil Aviation Organisation
IECSC	Inventory of Existing Chemical Substances in China
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organisation for Standardisation
KECI	Korean Existing Chemicals Inventory
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
MAK	Maximum Concentration at the Workplace
MAL	Measuring Technical Hygienic Air Needs
MARPOL	International Convention for the Prevention of Pollution from Ships
MDLPS	Ministry of Labour and Social Policy
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observable Effect Loading Rate
NZIoC	New Zealand Inventory of Chemicals
OECD	Organization for Economic Cooperation and Development
OEL	Occupational exposure limits
PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	Philippines Inventory of Chemicals and Chemical Substances
PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
REACH	Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SDS	Safety Data Sheet
SL	Surface Limit
STEL	Short Term Exposure Limit

STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
SVHC	Substance of very high concern
TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TRGS	Technical Rule for Hazardous Substances
TSCA	Toxic Substances Control Act (United States)
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
As	Allergenic substance
C	Carcinogen
DS	Dermal Sensitizer
Ot	Ototoxicant
pOt	Ototoxicant - potential to cause hearing disorders
PS	Photosensitiser
RS	Respiratory Sensitiser
S	Sensitiser
poS	Sensitizer - capable of causing occupational asthma
Sa	Simple asphyxiant
Sd	Skin designation
pSd	Skin designation - potential for cutaneous absorption
Sdv	Skin designation - vacated
Sk	Skin notation
dSk	Skin notation - danger of cutaneous absorption
pSk	Skin notation - potential for cutaneous absorption

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
European Chemicals Agency (ECHA) (ECHA_API)
U.S. Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan GHS Classification
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications
International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program
International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set
United Nations World Health Organization (WHO)

Issuing Date	09-Dec-2020
Supersedes date	02-Aug-2023
Revision date	09-Oct-2025
Revision Note	Document reviewed. SDS sections updated: 3.

This safety data sheet complies with the requirements of Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet