

Supersedes date 26-Jul-2023

Revision Date 30-Oct-2024

Revision Number 3

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product Name Gyproc DuraLine

Synonyms None

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Internal linings in buildings

Uses advised against No specific uses advised against are identified

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Saint-Gobain Construction Products (Ireland) Limited  
Unit 4 Kilcarbery Business Park  
Nangor Road  
Dublin 22  
D22 R2Y7  
Ireland  
Tel: +353 (0)1 629 8444

#### For further information, please contact

E-mail address enquiries@gyproc.ie

### 1.4. Emergency telephone number

Emergency telephone ROI: 1800 744480  
NI: 0845 3990159  
(Monday - Friday, 9am - 5pm)

Emergency telephone - Contact number	
Europe	112

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]  
This product is an article. Classification according to CLP is not applicable to articles.

### 2.2. Label elements

#### Hazard statements

Not classified.

#### Additional information

As supplied, this product does not meet the requirements for labelling.

**2.3. Other hazards**

<b>Other hazards</b>	Cutting and handling may create dust. Product dust may be irritating to eyes, skin and respiratory system. Sharp edges and corners may cause cuts and abrasions.
<b>PBT &amp; vPvB</b>	None known
<b>Endocrine Disruptor Information</b>	This product does not contain any known or suspected endocrine disruptors.

**SECTION 3: Composition/information on ingredients****3.1 Substances**

Not applicable

**3.2 Mixtures**

Calcium sulfate dihydrate encased in paper liners. Natural board constituents may include minor amounts of quartz. Small quantities of chopped glass fibre, microsilica and vermiculite may be added, with starch, foam and dispersants.

**Ingredients**

The non-hazardous components shown below may be present in the final article and have occupational exposure limits and/or biological occupational exposure limits requiring monitoring (see Section 8)

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	Notes
Calcium sulfate dihydrate 10101-41-4	50 - 100	-	-	[C]	-	-	-	-
Microsilica 69012-64-2	1 - <2.5	-	273-761-1	[C]	-	-	-	-
Quartz (SiO <sub>2</sub> ) 14808-60-7	<1	-	238-878-4	[C]	-	-	-	-
Glass fibre -	<1	-	-	[C]	-	-	-	-

*Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes*

[C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

**Full text of H- and EUH-phrases: see section 16****Acute Toxicity Estimate**

If LD<sub>50</sub>/LC<sub>50</sub> data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATE<sub>mix</sub>) for classifying a mixture based on its components

Chemical name	Oral LD <sub>50</sub> mg/kg	Dermal LD <sub>50</sub> mg/kg	Inhalation LC <sub>50</sub> - 4 hour - dust/mist - mg/L	Inhalation LC <sub>50</sub> - 4 hour - vapour - mg/L	Inhalation LC <sub>50</sub> - 4 hour - gas - ppm
Calcium sulfate dihydrate 10101-41-4	> 2000	-	> 3.26	-	-

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>General advice</b>	Get medical attention if irritation or other symptoms occur. Take a copy of the Safety Data Sheet when going for medical treatment.
<b>Inhalation</b>	Not an expected route of exposure. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. IF exposed or concerned: Get medical advice/attention.
<b>Eye contact</b>	Not an expected route of exposure. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
<b>Skin contact</b>	Wash skin with soap and water. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	IF SWALLOWED: Drink 1 or 2 glasses of water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical attention immediately if symptoms occur.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	Harmful dust may be released during cutting or grinding process. Product dust may be irritating to eyes, skin and respiratory system. May cause discomfort if swallowed. Prolonged contact may cause redness and irritation.
<b>Effects of Exposure</b>	No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Note to doctors</b>	Treat symptomatically.
------------------------	------------------------

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

<b>Suitable Extinguishing Media</b>	Dry chemical, CO <sub>2</sub> , alcohol-resistant foam or water spray. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Unsuitable extinguishing media</b>	Do not use a solid water stream as it may scatter and spread fire.

### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards arising from the chemical</b>	None known based on information supplied.
<b>Hazardous combustion products</b>	Harmful gases or vapours. Oxides of sulphur. Carbon monoxide. Carbon dioxide (CO <sub>2</sub> ).

### 5.3. Advice for firefighters

<b>Special protective equipment and precautions for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Wear
-----------------------------	---

personal protective clothing (see section 8). Avoid breathing dust. Avoid contact with eyes. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Wash thoroughly after handling.

**For emergency responders** Use personal protection recommended in Section 8.

### 6.2. Environmental precautions

**Environmental precautions** Collect spillage. Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional Ecological Information.

### 6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Use personal protection recommended in Section 8. Clear up spills immediately and dispose of waste safely. Stay upwind. Collect spillage. Sweep up and shovel into suitable containers for disposal. Avoid generation of dust. Prevent product from entering drains. After cleaning, flush away traces with water. Wash thoroughly after handling. Dispose of wastes in an approved waste disposal facility.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

### 6.4. Reference to other sections

**Reference to other sections** See section 8 for more information See Section 11 for more information See section 13 for more information

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

**Advice on safe handling** Read carefully and follow all instructions. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. See section 8 for more information. Keep away from food, drink and animal feedingstuffs. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Minimise dust generation and accumulation. Do not breathe dust. Ensure adequate ventilation.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and after work. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Store away from incompatible materials. Store in accordance with local regulations. Store in a cool, well ventilated area. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep away from combustible material. Keep in a dry place.

### 7.3. Specific end use(s)

**Specific use(s)** The identified uses for this product are detailed in Section 1.2.

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

**Exposure Limits** Exposure to these ingredients as inhalable or respirable dust is minimal during normal use.

Avoid generation of dust.

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Calcium sulfate dihydrate 10101-41-4	-	-	TWA: 10 mg/m <sup>3</sup>	-	TWA: 4 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>
Microsilica 69012-64-2	-	TWA: 0.3 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	-	-
Quartz (SiO <sub>2</sub> ) 14808-60-7	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Microsilica 69012-64-2	-	-	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.2 mg/m <sup>3</sup>	-	-
Quartz (SiO <sub>2</sub> ) 14808-60-7	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.3 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> STEL: 0.6 mg/m <sup>3</sup> STEL: 0.2 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Calcium sulfate dihydrate 10101-41-4	-	-	TWA: 4 mg/m <sup>3</sup>	-	-
Microsilica 69012-64-2	-	TWA: 0.3 mg/m <sup>3</sup>	TWA: 0.3 mg/m <sup>3</sup>	-	-
Quartz (SiO <sub>2</sub> ) 14808-60-7	TWA: 0.1 mg/m <sup>3</sup>	-	-	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Quartz (SiO <sub>2</sub> ) 14808-60-7	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup> (Silica, crystalline, respirable dust) TWA: 6 mg/m <sup>3</sup> TWA: 2.4 mg/m <sup>3</sup> (Silica, amorphous)	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 ppm
Glass fibre -	TWA: 1 fibre/mL TWA: 5 mg/m <sup>3</sup>	-	-	-	-
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Quartz (SiO <sub>2</sub> ) 14808-60-7	-	-	TWA: 0.075 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> TWA: 0.3 mg/m <sup>3</sup> STEL: 0.9 mg/m <sup>3</sup> STEL: 0.15 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Calcium sulfate dihydrate 10101-41-4	TWA: 10 mg/m <sup>3</sup>	-	TWA: 1.5 mg/m <sup>3</sup>	-	TWA: 10 mg/m <sup>3</sup>
Microsilica 69012-64-2	-	-	-	TWA: 0.3 mg/m <sup>3</sup>	-
Quartz (SiO <sub>2</sub> ) 14808-60-7	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.5 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>
Chemical name	Sweden		Switzerland		United Kingdom
Calcium sulfate dihydrate 10101-41-4	-		TWA: 3 mg/m <sup>3</sup>		TWA: 10 mg/m <sup>3</sup> TWA: 4.0 mg/m <sup>3</sup>
Microsilica 69012-64-2	-		TWA: 0.3 mg/m <sup>3</sup>		-
Quartz (SiO <sub>2</sub> ) 14808-60-7	NGV: 0.1 mg/m <sup>3</sup>		TWA: 0.15 mg/m <sup>3</sup>		TWA: 0.1 mg/m <sup>3</sup> (Silica, respirable crystalline) TWA: 6 mg/m <sup>3</sup> TWA: 2.4 mg/m <sup>3</sup> (Silica, amorphous)
Glass fibre	-		-		TWA: 2 fibre/mL

-			TWA: 5 mg/m <sup>3</sup>
---	--	--	--------------------------

**Biological occupational exposure limits**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

**Derived No Effect Level (DNEL) - Workers** No information available

Chemical name	Oral	Dermal	Inhalation
Microsilica 69012-64-2	-	-	0.3 mg/m <sup>3</sup> [5] [6]

**Derived No Effect Level (DNEL) - General Public** No information available.

**Predicted No Effect Concentration (PNEC)** No information available.

**8.2. Exposure controls****Engineering controls**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Apply technical measures to comply with the occupational exposure limits.

**Personal protective equipment****Eye/face protection**

If there is a risk of contact: Tight sealing safety goggles. Eye protection must conform to standard EN 166.

**Hand protection**

Repeated or prolonged contact: Wear suitable gloves. During cutting, grinding or sanding operations, wear protective gloves if handling sharp or rough edges.

**Skin and body protection**

No special protective equipment required.

**Respiratory protection**

Harmful dust may be released during cutting or grinding process. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Dust mask for dust formation. Disposable filtering half mask respirators should comply with European Standard EN149 or EN405. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly.

**Environmental exposure controls** Avoid creating dust.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

<b>Appearance</b>	Flat sheet boards in different lengths, widths and thicknesses, with a square or tapered edge
<b>Physical state</b>	Solid
<b>Colour</b>	Cream, grey
<b>Odour</b>	Odourless
<b>Odour threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point		No data available
Initial boiling point and boiling range		No data available



**Hazardous decomposition products** None under normal use conditions.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

##### Product Information

<b>Inhalation</b>	Harmful dust may be released during cutting or grinding process. Inhalation of dust in high concentration may cause irritation of respiratory system.
<b>Eye contact</b>	Not an expected route of exposure. Dust contact with the eyes can lead to mechanical irritation.
<b>Skin contact</b>	Prolonged contact may cause redness and irritation. Contact with dust can cause mechanical irritation or drying of the skin.
<b>Ingestion</b>	Not an expected route of exposure. May cause gastrointestinal discomfort.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Product dust may be irritating to eyes, skin and respiratory system. May cause discomfort if swallowed. Prolonged contact may cause redness and irritation.

**Acute toxicity** Based on available data, the classification criteria are not met.

**Numerical measures of toxicity** No information available

#### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium sulfate dihydrate	> 2000 mg/kg ( Rat )	-	> 3.26 mg/l

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

Component Information	
Calcium sulfate dihydrate (10101-41-4)	
Method	OECD Test No. 404: Acute Dermal Irritation/Corrosion
Exposure route	Dermal
Effective dose	0.5 g
Exposure time	4 hours
Results	non-irritant

Glass fibre (-)	
Method	OECD Test No. 404: Acute Dermal Irritation/Corrosion
Results	non-irritant

**Serious eye damage/eye irritation** Based on available data, the classification criteria are not met.

Component Information	
Calcium sulfate dihydrate (10101-41-4)	
Method	OECD Test No. 405: Acute Eye Irritation/Corrosion
Exposure route	Eye

Effective dose	0.1 g
Results	non-irritant

Glass fibre (-)	
Results	non-irritant

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

Component Information	
Calcium sulfate dihydrate (10101-41-4)	
Method	OECD Test No. 406: Skin Sensitisation
Exposure route	Dermal
Results	Not a skin sensitiser

Glass fibre (-)	
Results	Not a skin sensitiser

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

Component Information	
Calcium sulfate dihydrate (10101-41-4)	
Method	OECD Test No. 471: Bacterial Reverse Mutation Test
Species	in vitro
Results	Not mutagenic

Method	OECD Test No. 474: Mammalian Erythrocyte Micronucleus Test
Species	in vivo
Results	Not mutagenic

**Carcinogenicity** Based on available data, the classification criteria are not met.

Component Information	
Glass fibre (-)	
Results	Not Carcinogenic

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT - single exposure** Based on available data, the classification criteria are not met.

**STOT - repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Not applicable.

## 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** This product does not contain any known or suspected endocrine disruptors

### 11.2.2. Other information

**Other adverse effects** None known based on information supplied.

## SECTION 12: Ecological information

**12.1. Toxicity**

**Ecotoxicity** Based on available data, the classification criteria are not met. Not considered to be harmful to aquatic life.

Component Information	
Calcium sulfate dihydrate (10101-41-4)	
Results	Not toxic at limit of water solubility

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Microsilica 69012-64-2	-	LC50: >100mg/L (96h, Danio rerio)	-	-
Glass fibre -	EC50: >1000 mg/L (3d, Pseudokirchneriella subcapitata)	LC50: >1000 mg/L (96h, Danio rerio)	-	EC50: >1000 mg/L (3d, Daphnia magna)

**12.2. Persistence and degradability**

**Persistence and degradability** No information available.

Component Information			
Calcium sulfate dihydrate (10101-41-4)			
Method	Exposure time	Value	Results
-	-	-	Substance is inorganic. Not relevant

**12.3. Bioaccumulative potential**

**Bioaccumulation** No information available.

**12.4. Mobility in soil**

**Mobility in soil** Insoluble in water.

**12.5. Results of PBT and vPvB assessment**

**PBT and vPvB assessment** Based on available data, the classification criteria are not met.

Chemical name	PBT and vPvB assessment
Calcium sulfate dihydrate 10101-41-4	The substance is not PBT / vPvB
Microsilica 69012-64-2	The substance is not PBT / vPvB

**12.6. Endocrine disrupting properties**

**Endocrine disrupting properties** This product does not contain any known or suspected endocrine disruptors.

**12.7. Other adverse effects**

**Other adverse effects** None known based on information supplied.

**PMT or vPvM properties** Based on available data, the classification criteria are not met.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

<b>Waste from residues/unused products</b>	The generation of waste should be minimised or avoided wherever possible. Recover or recycle if possible. This material and its container must be disposed of in a safe way. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal.
<b>Waste codes / waste designations according to EWC / AVV</b>	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

## SECTION 14: Transport information

<b>IATA</b>	Not regulated
<b>14.1 UN number or ID number</b>	Not regulated
<b>14.2 UN proper shipping name</b>	Not regulated
<b>14.3 Transport hazard class(es)</b>	Not regulated
<b>14.4 Packing group</b>	Not applicable
<b>14.5 Environmental hazards</b>	Not applicable
<b>14.6 Special Precautions for Users</b>	
<b>Special Provisions</b>	None
<b>Note:</b>	None
<b>IMDG</b>	Not regulated
<b>14.1 UN number or ID number</b>	Not regulated
<b>14.2 UN proper shipping name</b>	Not regulated
<b>14.3 Transport hazard class(es)</b>	Not regulated
<b>14.4 Packing group</b>	Not applicable
<b>14.5 Environmental hazards</b>	Not applicable
<b>14.6 Special Precautions for Users</b>	
<b>Special Provisions</b>	None
<b>14.7 Maritime transport in bulk according to IMO instruments</b>	No information available
<b>RID</b>	Not regulated
<b>14.1 UN number or ID number</b>	Not regulated
<b>14.2 UN proper shipping name</b>	Not regulated
<b>14.3 Transport hazard class(es)</b>	Not regulated
<b>14.4 Packing group</b>	Not applicable
<b>14.5 Environmental hazards</b>	Not applicable
<b>14.6 Special Precautions for Users</b>	
<b>Special Provisions</b>	None
<b>ADR</b>	Not regulated
<b>14.1 UN number or ID number</b>	Not regulated
<b>14.2 UN proper shipping name</b>	Not regulated
<b>14.3 Transport hazard class(es)</b>	Not regulated
<b>14.4 Packing group</b>	Not applicable
<b>14.5 Environmental hazards</b>	Not applicable
<b>14.6 Special Precautions for Users</b>	
<b>Special Provisions</b>	None
<b>ADN</b>	Not regulated

14.1 UN/ID no	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not applicable
14.5 Environmental hazard	Not applicable
14.6 Special Precautions for Users Special Provisions	None

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical name	French RG number
Quartz (SiO <sub>2</sub> ) 14808-60-7	RG 25

Chemical name	Number	Class
Quartz (SiO <sub>2</sub> )	5.2.7.1.1	-

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins
Quartz (SiO <sub>2</sub> )	Present	-	-

**Ordinance on the Incentive Tax on Volatile Organic Compounds (OVOC) SR 814.018** Not applicable  
**WPO (GSchV) SR 814.201; WPA (GSchG) SR 814.20** Not applicable

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

#### Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

#### Persistent Organic Pollutants

Not applicable

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Chemical name	EU - Plant Protection Products (1107/2009/EC)
Quartz (SiO <sub>2</sub> ) - 14808-60-7	Plant protection agent

#### International Inventories

Contact supplier for inventory compliance status

**15.2. Chemical safety assessment**

Chemical Safety Report Not applicable

**SECTION 16: Other information****Key or legend to abbreviations and acronyms used in the safety data sheet****Legend**

SVHC: Substances of Very High Concern for Authorisation:  
 PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances  
 vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances  
 STOT: Specific Target Organ Toxicity  
 ATE: Acute Toxicity Estimate  
 LC50: 50% Lethal Concentration  
 LD50: 50% Lethal Dose

**Legend Section 8: Exposure controls/personal protection**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation
SCBA	Self-contained breathing apparatus		

**Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
 U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)  
 European Chemicals Agency (ECHA) (ECHA\_API)  
 Environmental Protection Agency  
 Acute Exposure Guideline Level(s) (AEGl(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 Hazardous Substance Database  
 International Uniform Chemical Information Database (IUCLID)  
 Japan GHS Classification  
 Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
 NIOSH (National Institute for Occupational Safety and Health)  
 National Library of Medicine's ChemID Plus (NLM CIP)  
 National Library of Medicine's PubMed database (NLM PUBMED)  
 U.S. National Toxicology Program (NTP)  
 New Zealand's Chemical Classification and Information Database (CCID)  
 Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications  
 Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme  
 Organisation for Economic Co-operation and Development Screening Information Data Set  
 World Health Organization

**Issuing Date** 18-Jan-2021

**Supersedes date** 26-Jul-2023

**Revision Date** 30-Oct-2024

**Revision Note** Document reviewed.

**Further information** This SDS is not mandated under REACH Regulation (EC) No 1907/2006 and is provided for information only

This safety data sheet complies with the requirements of Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No. 1907/2006

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**