

Supersedes date 20-Jul-2023

Revision date 09-Oct-2025

Revision Number 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name Thistle Bond-It
Unique Formula Identifier (UFI) UHT0-50TE-500K-9A3G
Synonyms None
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Bonding agent
Uses advised against No specific uses advised against are identified

1.3. Details of the supplier of the safety data sheet

Supplier
 Saint-Gobain Construction Products (Ireland) Limited
 Unit 4 Kilcarbery Business Park
 Nangor Road
 Dublin 22
 D22 R2Y7
 Ireland
 Tel: +353 (0)1 629 8444

For further information, please contact

E-mail address enquiries@gyproc.ie

1.4. Emergency telephone number

Emergency telephone ROI: 1800 744480
 NI: 0845 3990159
 (Monday - Friday, 9am - 5pm)

Emergency telephone - Contact number	
Europe	112
Ireland	National Poisons Information Centre: +353 (0)1 809 2166 (General public)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation	Category 1 - (H317)
---------------------------	---------------------

2.2. Label elements

Contains 2-Methyl-2H-isothiazol-3-one, 1,2-Benzisothiazol-3(2H)-one, Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

**Signal word**

Warning

Hazard statements

H317 - May cause an allergic skin reaction.

Precautionary Statements - EU (§28, 1272/2008)

P102 - Keep out of reach of children.

P261 - Avoid breathing dust or mist.

P280 - Wear protective gloves, protective clothing, eye protection and face protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.

P501 - Dispose of contents/ container in accordance with national regulations.

Biocide Labelling: Contains 1,2-Benzisothiazol-3(2H)-one, 2-Methyl-2H-isothiazol-3-one, Bronopol, CMIT/MIT(3:1) to prevent microbial deterioration

2.3. Other hazards**Other hazards**

The product does not contain any substance(s) classified as PBT or vPvB.

PBT or vPvB properties

None known.

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No. (Index No.)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	Notes
Calcium carbonate 471-34-1	1	-	207-439-9	[C]	-	-	-	-
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	0.1 - <1	01-2119489379-17-XXXX	236-675-5 (022-006-00-2)	[C]	-	-	-	-
Bronopol 52-51-7	<1	-	200-143-0 (603-085-00-8)	Acute Tox. 4 (H302) Acute Tox. 4 (H312)	-	10	-	-

				Skin Irrit. 2 (H315) Eye Dam. 1 (H318) STOT SE 3 (H335) Aquatic Acute 1 (H400)				
1,2-Benzisothiazol-3(2H)-one 2634-33-5	0.0036 - <0.036	-	220-120-9 (613-088-00-6)	Acute Tox. 4 (H302) Acute Tox. 2 (H330) Skin Irrit. 2 (H315) Skin Sens. 1A (H317) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Skin Sens. 1A :: C>=0.036%	1	1	-
2-Methyl-2H-isothiazol-3-one 2682-20-4	0.0015 - <0.025	-	220-239-6 (613-326-00-9)	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Skin Sens. 1A (H317) Eye Dam. 1 (H318) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071)	Skin Sens. 1A :: C>=0.0015%	10	1	-
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9	0.00015 - <0.0015	-	611-341-5 (613-167-00-5)	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Skin Corr. 1C (H314) Skin Sens. 1A (H317) Eye Dam. 1 (H318) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071)	Eye Irrit. 2 :: 0.06%<=C<0.6% Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1A :: C>=0.0015% Eye Dam. 1 :: C>=0.6%	100	100	B

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

[C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Calcium carbonate 471-34-1	>2000	>2000	-	-	-
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10	2002	No data available	5.0951	No data available	No data available

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
µm] 13463-67-7					
Bronopol 52-51-7	180	1600	No data available	No data available	No data available
1,2-Benzisothiazol-3(2H)-one 2634-33-5	450+ 1020	2002	0.21+	No data available	No data available
2-Methyl-2H-isothiazol-3-one 2682-20-4	120	242	0.11	-	-
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9	53	87.12	0.171	-	-

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59).

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Get medical attention if irritation or other symptoms occur. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms occur. Administer oxygen if breathing is difficult.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	Wash with soap and water. Get medical attention if irritation develops and persists. May cause an allergic skin reaction. In the event of any sensitisation symptoms developing, ensure further exposure is avoided.
Ingestion	Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting without medical advice. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	May cause allergic skin reaction. Itching. Rashes. Hives. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Prolonged or repeated contact may dry skin and cause irritation. May cause temporary eye irritation.
Effects of Exposure	None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors May cause sensitisation in susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical, CO₂, alcohol-resistant foam or water spray. Use extinguishing agent suitable for type of surrounding fire.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Product is or contains a sensitiser. May cause sensitisation by skin contact.

Hazardous combustion products Carbon oxides.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Do not handle until all safety precautions have been read and understood. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Avoid breathing dust or spray mist. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wash thoroughly after handling. Do not touch or walk through spilled material.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Clear up spills immediately and dispose of waste safely. Small spill: Wipe up with absorbent material (eg. cloth, fleece). Large spill: Cover liquid spill with sand, earth or other noncombustible absorbent material. Pick up and transfer to properly labelled containers. After cleaning, flush away traces with water. Wash thoroughly after handling.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Read carefully and

follow all instructions. Ensure adequate ventilation. Wear personal protective equipment. See section 8 for more information. Avoid contact with skin, eyes or clothing. Avoid breathing vapours or mists. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feedingstuffs. Keep out of reach of children. Keep container closed when not in use. In case of insufficient ventilation, wear suitable respiratory equipment. Take off contaminated clothing and wash it before reuse.

General hygiene considerations

Wash hands before breaks and immediately after handling the product. Do not eat, drink or smoke when using this product. Take off all contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities**Storage Conditions**

Keep container upright. Store away from incompatible materials. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in accordance with local regulations.

Storage class (TRGS 510)

LGK 10.

7.3. Specific end use(s)**Specific use(s)**

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure Limits**

Chemical name	Austria	Belgium	Bulgaria	Croatia
Calcium carbonate 471-34-1	-	-	-	TWA-GVI: 10 mg/m ³ ; total dust, inhalable particles TWA-GVI: 4 mg/m ³ ; respirable dust
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	TWA-TMW: 5 mg/m ³ ; alveolar dust, respirable fraction STEL-KZGW: 10 mg/m ³ (2 X 60 min); alveolar dust, respirable fraction C	TWA: 10 mg/m ³ ;	TWA: 10.0 mg/m ³ ; respirable dust	TWA-GVI: 10 mg/m ³ ; total dust, inhalable particles TWA-GVI: 4 mg/m ³ ; respirable dust
2-Methyl-2H-isothiazol-3-one 2682-20-4	TWA-TMW: 0.05 mg/m ³ ; DS	-	-	-
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9	TWA-TMW: 0.05 mg/m ³ ; DS	-	-	-
Chemical name	Cyprus	Czech Republic	Denmark	Estonia
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	-	-	TWA: 6 mg/m ³ ; STEL: 12 mg/m ³ ;	TWA: 5 mg/m ³ ;
Chemical name	Finland	France	Germany TRGS	Germany DFG
Calcium carbonate 471-34-1	-	TWA-VME: 10 mg/m ³ ;	-	-

Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	-	TWA-VME: 10 mg/m ³ ;	TWA-AGW; 10 mg/m ³ (2(I)); inhalable fraction TWA-AGW; 1.25 mg/m ³ (); respirable fraction	TWA-MAK: 0.3 mg/m ³ ; I I(8); respirable fraction
2-Methyl-2H-isothiazol-3-one 2682-20-4	-	-	-	TWA-MAK: 0.2 mg/m ³ ; I (2); inhalable fraction
Chemical name	Greece	Hungary	Italy MDLPS	Italy AIDII
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	TWA: 10 mg/m ³ ; inhalable fraction TWA: 5 mg/m ³ ; respirable fraction	-	-	TWA: 10 mg/m ³ ;
Chemical name	Ireland	Latvia	Lithuania	Luxembourg
Calcium carbonate 471-34-1	-	TWA: 6 mg/m ³ ;	-	-
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	TWA: 10 mg/m ³ ; total inhalable dust TWA: 4 mg/m ³ ; respirable dust STEL: 30 mg/m ³ (calculated); res pirable dust STEL: 12 mg/m ³ (calculated);	TWA: 10 mg/m ³ ;	TWA-IPRD: 5 mg/m ³ ;	-
Chemical name	Malta	Netherlands	Norway	Poland
Calcium carbonate 471-34-1	-	-	-	TWA-NDS: 10 mg/m ³ ; inhalable fraction
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	-	-	TWA: 5 mg/m ³ ; STEL: 10 mg/m ³ (value calculated);	TWA-NDS: 10 mg/m ³ ; inhalable fraction STEL-NDSch: 30 mg/m ³ ;
Chemical name	Portugal	Romania	Slovakia	Slovenia
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	TWA (VLE-MP): 10 mg/m ³ ;	TWA: 10 mg/m ³ ; STEL: 15 mg/m ³ ;	TWA: 5 mg/m ³ ;	-
Chemical name	Spain	Sweden	Switzerland	United Kingdom
Calcium carbonate 471-34-1	-	-	TWA-MAK: 3 mg/m ³ ; respirable dust TWA-MAK: 10 mg/m ³ ; inhalable dust	TWA: 10 mg/m ³ TWA: 4 mg/m ³
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	TWA-(VLA-ED): 10 mg/m ³ ;	TLV-NGV: 5 mg/m ³ ; total dust	TWA-MAK: 3 mg/m ³ ; respirable dust TWA-MAK: 10 mg/m ³ ; inhalable dust	TWA: 10 mg/m ³ ; total inhalable TWA: 4 mg/m ³ ; respirable STEL: 30 mg/m ³ ; total inhalable STEL: 12 mg/m ³ ; respirable
2-Methyl-2H-isothiazol-3-one 2682-20-4	-	-	TWA-MAK: 0.2 mg/m ³ ; inhalable dust STEL-KZGW: 0.4 mg/m ³ ; inhalable dust	-
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-	-	-	TWA-MAK: 0.2 mg/m ³ ; inhalable dust	-

3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9			STEL-KZGW: 0.4 mg/m ³ ; inhalable dust S	
--	--	--	---	--

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
Calcium carbonate 471-34-1	-	-	6.36 mg/m ³ [5] [6]
Bronopol 52-51-7	-	2 mg/kg bw/day [4] [6] 6 mg/kg bw/day [4] [7] 8 µg/cm ² [5] [6] 8 µg/cm ² [5] [7]	3.5 mg/m ³ [4] [6] 10.5 mg/m ³ [4] [7] 2.5 mg/m ³ [5] [6] 2.5 mg/m ³ [5] [7]
1,2-Benzisothiazol-3(2H)-one 2634-33-5	-	0.966 mg/kg bw/day [4] [6]	6.81 mg/m ³ [4] [6]
2-Methyl-2H-isothiazol-3-one 2682-20-4	-	-	0.021 mg/m ³ [5] [6] 0.043 mg/m ³ [5] [7]
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9	-	-	0.02 mg/m ³ [5] [6] 0.04 mg/m ³ [5] [7]

Notes

[4]	Systemic health effects.
[5]	Local health effects.
[6]	Long term.
[7]	Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
Calcium carbonate 471-34-1	6.1 mg/kg bw/day [4] [6] 6.1 mg/kg bw/day [4] [7]	-	1.06 mg/m ³ [5] [6]
Bronopol 52-51-7	0.18 mg/kg bw/day [4] [6] 0.5 mg/kg bw/day [4] [7]	2.1 mg/kg bw/day [4] [6] 2.1 mg/kg bw/day [4] [7] 4 µg/cm ² [5] [6] 4 µg/cm ² [5] [7]	0.6 mg/m ³ [4] [6] 1.8 mg/m ³ [4] [7] 0.6 mg/m ³ [5] [6] 0.6 mg/m ³ [5] [7]
1,2-Benzisothiazol-3(2H)-one 2634-33-5	-	-	1.2 mg/m ³ [4] [6]
2-Methyl-2H-isothiazol-3-one 2682-20-4	0.027 mg/kg bw/day [4] [6] 0.053 mg/kg bw/day [4] [7]	-	0.021 mg/m ³ [5] [6] 0.043 mg/m ³ [5] [7]
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9	0.09 mg/kg bw/day [4] [6] 0.11 mg/kg bw/day [4] [7]	-	0.02 mg/m ³ [5] [6] 0.04 mg/m ³ [5] [7]

Notes

[4]	Systemic health effects.
[5]	Local health effects.
[6]	Long term.
[7]	Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
Bronopol 52-51-7	0.00125 mg/L	0.000265 mg/L	0.00052 mg/L	-	-
1,2-Benzisothiazol-3(2H)-one 2634-33-5	4.03 µg/L	1.1 µg/L	0.403 µg/L	110 ng/L	-
2-Methyl-2H-isothiazol-3-one 2682-20-4	3.39 µg/L	3.39 µg/L	3.39 µg/L	3.39 µg/L	-
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9	3.39 µg/L	3.39 µg/L	3.39 µg/L	3.39 µg/L	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Calcium carbonate 471-34-1	-	-	100 mg/L	-	-
Bronopol 52-51-7	0.0215 mg/kg sediment dw	0.008944 mg/kg sediment dw	0.43 mg/L	0.21 mg/kg soil dw	-
1,2-Benzisothiazol-3(2H)-one 2634-33-5	49.9 µg/kg sediment dw	4.99 µg/kg sediment dw	1.03 mg/L	3 mg/kg soil dw	-
2-Methyl-2H-isothiazol-3-one 2682-20-4	-	-	0.23 mg/L	0.0471 mg/kg soil dw	-
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9	0.027 mg/kg sediment dw	0.027 mg/kg sediment dw	0.23 mg/L	0.01 mg/kg soil dw	-

8.2. Exposure controls**Engineering controls**

Ensure adequate ventilation, especially in confined areas. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimise exposure.

Personal protective equipment**Eye/face protection**

If there is a risk of contact: Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166.

Hand protection

Wear suitable gloves. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Considering the data specified by the glove manufacturer, check during use that the gloves

are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended. Gloves must conform to standard EN 374.

Skin and body protection

Wear suitable protective clothing.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. In case of insufficient ventilation, wear suitable respiratory equipment. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly.

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance**Physical state**

Liquid

Colour

Light green

Odour

Characteristic

Odour threshold

No information available

Property**Values****Remarks • Method****Melting point / freezing point**

No data available

Boiling point or initial boiling point and boiling range

No data available

Flammability

No data available

Lower and upper explosion limit/flammability limit

Lower explosion limit

No data available

Upper explosion limit

No data available

Flash point

No data available

Autoignition temperature

No data available

Decomposition temperature

No data available

SADT (°C)

No data available

pH

No data available

pH (as aqueous solution)

No data available

Kinematic viscosity

No data available

Dynamic viscosity

No data available

Water solubility

Miscible in water

No data available

Solubility

No data available

Partition coefficient n-octanol/water (log value)

No data available

Vapour pressure

No data available

Density and/or relative density

No data available

Bulk density

No data available

Liquid Density

No data available

Relative vapour density

No data available

Particle characteristics

Particle Size

No data available

Particle Size Distribution

No data available

9.2. Other information

Molecular weight

No information available

VOC content

No information available

Softening point

No information available

9.2.1. Information with regards to physical hazard classes

Explosives

Explosive properties	No information available
Oxidising properties	No information available

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity**10.1. Reactivity**

Reactivity	None under normal use conditions.
-------------------	-----------------------------------

10.2. Chemical stability

Stability	Stable under normal conditions.
------------------	---------------------------------

Explosion data

Sensitivity to mechanical impact	None.
---	-------

Sensitivity to static discharge	None.
--	-------

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	None under normal processing.
---	-------------------------------

10.4. Conditions to avoid

Conditions to avoid	Excessive heat.
----------------------------	-----------------

10.5. Incompatible materials

Incompatible materials	Acids.
-------------------------------	--------

10.6. Hazardous decomposition products

Hazardous decomposition products	None known based on information supplied.
---	---

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Information on likely routes of exposure****Product Information**

Inhalation	Specific test data for the substance or mixture is not available.
-------------------	---

Eye contact	Specific test data for the substance or mixture is not available.
--------------------	---

Skin contact	May cause sensitisation by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).
---------------------	---

Ingestion	Specific test data for the substance or mixture is not available. May cause gastrointestinal discomfort.
------------------	--

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	May cause allergic skin reaction. Itching. Rashes. Hives. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Prolonged or repeated contact may dry skin and cause irritation. May cause temporary eye irritation.
-----------------	---

Acute toxicity Based on available data, the classification criteria are not met.

Numerical measures of toxicity Based on available data, the classification criteria are not met.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium carbonate	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	>3 mg/L (Rat) 4h
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm]	> 2000 mg/kg (Rat)	-	> 5.09 mg/L (Rat) 4 h
Bronopol	= 193 mg/kg (Rat)	= 1600 mg/kg (Rat)	> 5 g/m ³ (Rat) 6 h
1,2-Benzisothiazol-3(2H)-one	= 1020 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
2-Methyl-2H-isothiazol-3-one	= 120 mg/kg (Rat)	= 242 mg/kg (Rat)	= 0.11 mg/L (Rat) 4 h
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	64 mg/kg (Rat)	87.12 mg/kg (Rat)	0.171 mg/L (Rat)

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Component Information					
Calcium carbonate (471-34-1)					
Exposure route	Effective dose	Method	Species	Exposure time	Results
Dermal	0.5 g	OECD Test No. 404: Acute Dermal Irritation/Corrosion		4 hours	non-irritant

2-Methyl-2H-isothiazol-3-one (2682-20-4)					
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)					
Exposure route	Effective dose	Method	Species	Exposure time	Results
Dermal	0.5 mL	OECD Test No. 404: Acute Dermal Irritation/Corrosion		4 hours	

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Component Information					
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)					
Effective dose	Method	Species	Exposure route	Exposure time	Results
0.1 mL					

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disruption for human health Based on available data, the classification criteria are not met.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity Based on available data, the classification criteria are not met.

Chemical name	Fish	Crustacea	Algae/aquatic plants	Toxicity to microorganisms
Calcium carbonate	LC50: >10000mg/L (96h, Oncorhynchus mykiss)	EC50: >1000 mg/L (48h, Daphnia magna)	EC50: >200 mg/L (72h, Algae)	-
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm]	-	LC50: 500 mg/L (48h, Daphnia magna)	EC50: 100mg/L (72h, Algae)	-
Bronopol	LC50: 35.7 mg/L (96h, Lepomis macrochirus)	EC50: 1.4 mg/L (48h, Daphnia magna)	EC50: 0.25 mg/L (72h, Skeletonema costatum)	EC20: 2 mg/L (150 min, Activated sludge)
2-Methyl-2H-isothiazol-3-one	LC50: 4.77 mg/L (96h, Oncorhynchus mykiss)	LC50: 0.934 mg/L (48h, Daphnia magna)	EC50: >0.072 mg/L (72h, Skeletonema costatum)	EC50: 41 mg/L (3h, Activated sludge)
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	LC50: 0.19 mg/L (96h, Oncorhynchus mykiss)	EC50: 0.16 mg/L (72h, Daphnia magna)	EC50: 6.3 µg/L (72h, Skeletonema costatum)	EC50: 4.5 mg/L (3h, Activated sludge)

12.2. Persistence and degradability No information available.

12.3. Bioaccumulative potential

Chemical name	Partition coefficient	Bioconcentration factor (BCF)	Trophic magnification factor (TMF)
Bronopol	0.22	-	-
1,2-Benzisothiazol-3(2H)-one	0.99	-	-
2-Methyl-2H-isothiazol-3-one	-0.486	-	-
Reaction mass of	0.326 - 2.519	54	-

5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			
--	--	--	--

12.4. Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
Calcium carbonate	Not PBT/vPvB
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]	Not PBT/vPvB
Bronopol	Not PBT/vPvB
1,2-Benzisothiazol-3(2H)-one	Not PBT/vPvB
2-Methyl-2H-isothiazol-3-one	Not PBT/vPvB
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Not PBT/vPvB

12.6. Endocrine disrupting properties Based on available data, the classification criteria are not met.

12.7. Other adverse effects No information available.

PMT or vPvM properties Based on available data, the classification criteria are not met.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Recover or recycle if possible. This material and its container must be disposed of in a safe way. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Since empty containers retain product residue, follow label warnings even after container is emptied. Recover or recycle if possible.

Waste codes / waste designations according to EWC / AVV According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

IATA Not regulated

14.1 UN number or ID number Not regulated

14.2 UN proper shipping name Not regulated

14.3 Transport hazard class(es) Not regulated

14.4 Packing group Not regulated

14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions None

IMDG Not regulated

14.1 UN number or ID number Not regulated

14.2 UN proper shipping name Not regulated

14.3 Transport hazard class(es) Not regulated

14.4 Packing group Not regulated

14.5 Environmental hazards	Not applicable
14.6 Special precautions for user Special Provisions	None
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID	Not regulated
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user Special Provisions	None

ADR	Not regulated
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user Special Provisions	None

ADN	
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not applicable
14.5 Environmental hazard	Not applicable
14.6 Special precautions for user Special Provisions	None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
1,2-Benzisothiazol-3(2H)-one 2634-33-5	RG 65, RG 66

Chemical Prohibition Ordinance (ChemVerbotsV)

Not applicable.

Chemical name	Number	Class
Bronopol 52-51-7	5.2.4	Class II

TRGS 905 Not applicable

Ordinance on the Incentive Tax on Volatile Organic Compounds (OVOC) SR 814.018 Not applicable

Storage of Hazardous Material
WPO (GSchV) SR 814.201; WPA (GSchG) SR 814.20
Major Accidents Ordinance SR 814.012

Not applicable
 Not applicable
 Not applicable

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Calcium carbonate 471-34-1	75	-
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	75	-
Bronopol 52-51-7	75	-
1,2-Benzisothiazol-3(2H)-one 2634-33-5	75	-
2-Methyl-2H-isothiazol-3-one 2682-20-4	75	-
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9	75	-

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 2024/590

Not applicable.

EU - Plant Protection Products (1107/2009/EC)

Chemical name	EU - Plant Protection Products (1107/2009/EC)
Calcium carbonate 471-34-1	Plant protection agent

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
Bronopol 52-51-7	Product-type 2: Disinfectants and algacides not intended for direct application to humans or animals Product-type 6: Preservatives for products during storage Product-type 11: Preservatives for liquid-cooling and processing systems Product-type 12: Slimicides Product-type 22: Embalming and taxidermist fluids
1,2-Benzisothiazol-3(2H)-one 2634-33-5	Product-type 2: Disinfectants and algacides not intended for direct application to humans or animals Product-type 6: Preservatives for products during storage Product-type 9: Fibre, leather, rubber and polymerised materials preservatives Product-type 11: Preservatives for liquid-cooling and processing systems Product-type 12: Slimicides

	Product-type 13: Working or cutting fluid preservatives
2-Methyl-2H-isothiazol-3-one 2682-20-4	Product-type 11: Preservatives for liquid-cooling and processing systems Product-type 12: Slimicides Product-type 13: Working or cutting fluid preservatives Product-type 6: Preservatives for products during storage
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9	Product-type 2: Disinfectants and algacides not intended for direct application to humans or animals Product-type 4: Food and feed area Product-type 6: Preservatives for products during storage Product-type 11: Preservatives for liquid-cooling and processing systems Product-type 12: Slimicides Product-type 13: Working or cutting fluid preservatives

Explosives Precursors Marketing and Use (2019/1148)

Not applicable.

International Inventories

Contact supplier for inventory compliance status

15.2. Chemical safety assessment

Chemical Safety Report

No information available.

SECTION 16: Other information

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

- EUH071 - Corrosive to the respiratory tract
- H301 - Toxic if swallowed
- H302 - Harmful if swallowed
- H310 - Fatal in contact with skin
- H311 - Toxic in contact with skin
- H314 - Causes severe skin burns and eye damage
- H315 - Causes skin irritation
- H317 - May cause an allergic skin reaction
- H318 - Causes serious eye damage
- H330 - Fatal if inhaled
- H351i - Suspected of causing cancer if inhaled
- H400 - Very toxic to aquatic life
- H410 - Very toxic to aquatic life with long lasting effects
- H411 - Toxic to aquatic life with long lasting effects
- P261 - Avoid breathing dust, fume, gas, mist, vapors and spray
- P272 - Contaminated work clothing should not be allowed out of the workplace
- P280 - Wear protective gloves, protective clothing, eye protection and face protection
- P302 + P352 - IF ON SKIN: Wash with plenty of water and soap
- P321 - Specific treatment (see supplemental first aid instructions on this label)
- P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
- P362 + P364 - Take off contaminated clothing and wash it before reuse
- P501 - Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable

Key or legend to abbreviations and acronyms used in the safety data sheet

List may include phrases which are not applicable to this product

ACGIH	American Conference of Governmental Industrial Hygienists
AIDII	Italian Association of Industrial Hygienists

ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)
AIIC	Australian Inventory of Industrial Chemicals
ATE	Acute Toxicity Estimate
ASTM	American Society for the Testing of Materials
bar	Biological Reference Values for Chemical Compounds in the Work Area
BAT	Biological tolerance values for occupational exposure
BEL	Biological exposure limits
bw	Body weight
Ceiling	Maximum limit value
CLP	Classification, Labelling and Packaging Regulation; Regulation (EC) No 1272/2008
CMR	Carcinogen, Mutagen or Reproductive Toxicant
DFG	German Research Foundation
DOT	Department of Transportation (United States)
DSL	Domestic Substances List (Canada)
ECHA	European Chemicals Agency
EC Number	European Community number
EmS	Emergency Schedule
ENCS	Existing and New Chemical Substances (Japan)
EPA	U.S. Environmental Protection Agency
EWC	European Waste Codes
GHS	Globally Harmonized System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO	International Civil Aviation Organisation
IECSC	Inventory of Existing Chemical Substances in China
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organisation for Standardisation
KECI	Korean Existing Chemicals Inventory
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
MAK	Maximum Concentration at the Workplace
MAL	Measuring Technical Hygienic Air Needs
MARPOL	International Convention for the Prevention of Pollution from Ships
MDLPS	Ministry of Labour and Social Policy
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observable Effect Loading Rate
NZIoC	New Zealand Inventory of Chemicals
OECD	Organization for Economic Cooperation and Development
OEL	Occupational exposure limits
PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	Philippines Inventory of Chemicals and Chemical Substances
PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
REACH	Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SDS	Safety Data Sheet

SL	Surface Limit
STEL	Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
SVHC	Substance of very high concern
TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TRGS	Technical Rule for Hazardous Substances
TSCA	Toxic Substances Control Act (United States)
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
As	Allergenic substance
C	Carcinogen
DS	Dermal Sensitizer
Ot	Ototoxicant
pOt	Ototoxicant - potential to cause hearing disorders
PS	Photosensitiser
RS	Respiratory Sensitiser
S	Sensitizer
poS	Sensitizer - capable of causing occupational asthma
Sa	Simple asphyxiant
Sd	Skin designation
pSd	Skin designation - potential for cutaneous absorption
Sdv	Skin designation - vacated
Sk	Skin notation
dSk	Skin notation - danger of cutaneous absorption
pSk	Skin notation - potential for cutaneous absorption

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)
U.S. Environmental Protection Agency
Acute Exposure Guideline Level(s) (AEGl(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan GHS Classification
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications
International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program
International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set
United Nations World Health Organization (WHO)

Issuing Date	09-Dec-2020
Supersedes date	20-Jul-2023
Revision date	09-Oct-2025
Revision Note	Document reviewed. SDS sections updated: 3.

This safety data sheet complies with the requirements of Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet