

Revision date 09-Jul-2025

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name Gyproc Gyp Finisher Ultra
Unique Formula Identifier (UFI) KQQX-G18P-QS3N-MCWR
Synonyms None
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Coatings
(5 in 1: Filling / Smoothing / Bonding / Lining / Finishing)
Uses advised against No specific uses advised against are identified

1.3. Details of the supplier of the safety data sheet

Supplier
 Saint-Gobain Construction Products (Ireland) Limited
 Unit 4 Kilcarbery Business Park
 Nangor Road
 Dublin 22
 D22 R2Y7
 Ireland
 Tel: +353 (0)1 629 8444

For further information, please contact

E-mail address enquiries@gyproc.ie

1.4. Emergency telephone number

Emergency telephone ROI: 1800 744480
 NI: 0845 3990159
 (Monday - Friday, 9am - 5pm)

Emergency telephone - Contact number	
Europe	112
Ireland	National Poisons Information Centre: +353 (0)1 809 2166 (General public)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation	Category 1 - (H317)
---------------------------	---------------------

2.2. Label elements

Contains 2-Methyl-2H-isothiazol-3-one; 1,2-Benzisothiazol-3(2H)-one

**Signal word**

Warning

Hazard statements

H317 - May cause an allergic skin reaction.

Precautionary Statements - EU (§28, 1272/2008)

P261 - Avoid breathing dust, fume, gas, mist, vapors and spray.

P280 - Wear protective gloves.

P321 - Specific treatment (see supplemental first aid instructions on this label).

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.

P362 + P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable.

2.3. Other hazards**Other hazards**

Causes mild skin irritation. Harmful to aquatic life.

PBT & vPvB

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No. (Index No.)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	Notes
Calcium carbonate 471-34-1	50 - 70	-	207-439-9	[C]	-	-	-	-
Sodium hydroxide 1310-73-2	<0.5	01-2119457892-27-XXXX	215-185-5 (011-002-00-6)	Skin Corr. 1A (H314) Eye Dam. 1 (H318) Met. Corr. 1 (H290)	Eye Irrit. 2 :: 0.5%≤C<2% Skin Corr. 1A :: C≥5% Skin Corr. 1B :: 2%≤C<5% Skin Irrit. 2 :: 0.5%≤C<2%	-	-	-
Quartz 14808-60-7	<0.05	No data available	238-878-4	[C]	-	-	-	-
2-Methyl-2H-isothiaz	0.0015 -	-	220-239-6	Acute Tox. 3 (H301)	Skin Sens. 1A	10	1	-

ol-3-one 2682-20-4	0.05		(613-326-00-9)	Acute Tox. 3 (H311) Skin Corr. 1B (H314) Skin Sens. 1A (H317) Eye Dam. 1 (H318) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071)	:: C>=0.0015%			
1,2-Benzisothiazol-3(2H)-one 2634-33-5	0.005 - 0.05	-	220-120-9 (613-088-00-6)	Acute Tox. 4 (H302) Acute Tox. 2 (H330) Skin Irrit. 2 (H315) Skin Sens. 1A (H317) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Skin Sens. 1A :: C>=0.036%	1	1	-

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

[C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Calcium carbonate 471-34-1	>2000	>2000	-	-	-
Sodium hydroxide 1310-73-2	325	1350	-	-	-
2-Methyl-2H-isothiazol-3-one 2682-20-4	120	242	0.11	-	-
1,2-Benzisothiazol-3(2H)-one 2634-33-5	450 + 1020	2002	0.21 +	No data available	No data available

+ This value is the harmonised acute toxicity estimate (ATE) listed in CLP Annex VI, Part 3. This harmonised ATE value must be used when calculating the acute toxicity estimate (ATEmix) for classifying a mixture containing the listed substance

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance.

Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor.
Ingestion	Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Itching. Rashes. Hives. Prolonged contact may cause redness and irritation.
Effects of Exposure	None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	May cause sensitisation in susceptible persons. Treat symptomatically.
------------------------	--

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	Product is or contains a sensitiser. May cause sensitisation by skin contact.
---	---

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
For emergency responders	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions	See Section 12 for additional Ecological Information.
----------------------------------	---

6.3. Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.

General hygiene considerations Wash hands before breaks and after work. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from frost. Shelf life 9 months.

Storage class (TRGS 510) LGK 10.

7.3. Specific end use(s)

Specific use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Calcium carbonate 471-34-1	-	-	-	-	TWA-GVI: 10 mg/m ³ ; total dust, inhalable particles TWA-GVI: 4 mg/m ³ ; respirable dust
Sodium hydroxide 1310-73-2	-	TWA-TMW: 2 mg/m ³ ; inhalable fraction STEL-KZGW: 4 mg/m ³ (8 X 5 min); inhalable fraction	TWA: 2 mg/m ³ ;	TWA: 2.0 mg/m ³ ; alkaline aerosols	STEL-KGVI: 2 mg/m ³ ;
Quartz 14808-60-7	TWA: 0.1 mg/m ³ ;	TWA-TMW: 0.05 mg/m ³ ; alveolar dust, respirable fraction	TWA: 0.1 mg/m ³ ; alveolar dust TWA: 0.05 mg/m ³ ;	TWA: 0.1 mg/m ³ ; respirable fraction	TWA-GVI: 0.1 mg/m ³ ; respirable dust; respirable particle
2-Methyl-2H-isothiazol-3- one 2682-20-4	-	TWA-TMW: 0.05 mg/m ³ ; DS	-	-	-
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Sodium hydroxide 1310-73-2	-	TWA: 1 mg/m ³ ; Ceiling: 2 mg/m ³ ;	Ceiling: 2 mg/m ³ ;	TWA: 1 mg/m ³ ; STEL: 2 mg/m ³ ;	Ceiling: 2 mg/m ³ ;
Quartz 14808-60-7	TWA: 0.1 mg/m ³ ; respirable dust	TWA: 0.1 mg/m ³ ; dust	TWA: 0.3 mg/m ³ ; total	TWA: 0.1 mg/m ³ ; inhalable dust	TWA: 0.05 mg/m ³ ; respirable dust

	fraction		TWA: 0.1 mg/m ³ ; respirable STEL: 0.6 mg/m ³ ; total STEL: 0.2 mg/m ³ ; respirable		
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Calcium carbonate 471-34-1	TWA-VME: 10 mg/m ³ ;	-	-	-	-
Sodium hydroxide 1310-73-2	TWA-VME: 2 mg/m ³ ;	-	-	TWA: 2 mg/m ³ ; STEL: 2 mg/m ³ ;	TWA-AK: 1 mg/m ³ ; STEL-CK: 2 mg/m ³ ;
Quartz 14808-60-7	TWA-VME (restrictif): 0.1 mg/m ³ ; alveolar fraction	-	-	TWA: 0.1 mg/m ³ ; respirable dust fraction	TWA-AK: 0.1 mg/m ³ ; respirable fraction
2-Methyl-2H-isothiazol-3-one 2682-20-4	-	-	TWA-MAK: 0.2 mg/m ³ ; I(2);inhalable fraction Peak: 0.4 mg/m ³ ; inhalable fraction DS	-	-
1,2-Benzisothiazol-3(2H)-one 2634-33-5	-	-	DS	-	-
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Calcium carbonate 471-34-1	-	-	-	TWA: 6 mg/m ³ ;	-
Sodium hydroxide 1310-73-2	STEL: 2 mg/m ³ ;	-	Ceiling: 2 mg/m ³ ;	TWA: 0.5 mg/m ³ ;	Ceiling (NRD): 2 mg/m ³ ;
Quartz 14808-60-7	TWA: 0.1 mg/m ³ ; respirable dust STEL: 0.3 mg/m ³ ;	TWA: 0.1 mg/m ³ ; respirable fraction	TWA: 0.025 mg/m ³ ; respirable fraction	-	TWA-IPRD: 0.1 ppm; respirable fraction
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Calcium carbonate 471-34-1	-	-	-	-	TWA-NDS: 10 mg/m ³ ; inhalable fraction
Sodium hydroxide 1310-73-2	-	-	-	Ceiling: 2 mg/m ³ ;	TWA-NDS: 0.5 mg/m ³ ; STEL-NDSch: 1 mg/m ³ ;
Quartz 14808-60-7	-	-	TWA: 0.075 mg/m ³ ; respirable fraction	TWA: 0.05 mg/m ³ ; respirable dust TWA: 0.3 mg/m ³ ; total dust STEL: 0.9 mg/m ³ (value calculated;dust containing .alpha.-Quartz, Cristobalite and/or Tridymite is evaluated by summation formula. At the same time, the values for Nuisance dust must be observed); total dust STEL: 0.15 mg/m ³ (value	TWA-NDS: 0.1 mg/m ³ ; respirable fraction

				calculated;dust containing .alpha.-Quartz, Cristobalite and/or Tridymite is evaluated by summation formula. At the same time, the values for Nuisance dust must be observed); respirable dust	
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Sodium hydroxide 1310-73-2	Ceiling (VLE-CM): 2 mg/m ³ ;	TWA: 1 mg/m ³ ; STEL: 3 mg/m ³ ;	TWA: 2 mg/m ³ ;	-	STEL (VLA-EC): 2 mg/m ³ ;
Quartz 14808-60-7	TWA (VLE-MP): 0.025 mg/m ³ ; respirable fraction	TWA: 0.1 mg/m ³ ; dust, respirable fraction	TWA: 0.1 mg/m ³ ; STEL: 0.5 mg/m ³ ;	TWA: 0.05 mg/m ³ ; respirable fraction	TWA-(VLA-ED): 0.05 mg/m ³ ; respirable fraction
Chemical name	Sweden		Switzerland	United Kingdom	
Calcium carbonate 471-34-1	-		TWA-MAK: 3 mg/m ³ ; respirable dust TWA-MAK: 10 mg/m ³ ; inhalable dust	TWA: 10 mg/m ³ TWA: 4 mg/m ³	
Sodium hydroxide 1310-73-2	TLV-NGV: 1 mg/m ³ ; inhalable fraction STEL (Bindande KGV): 2 mg/m ³ ; inhalable fraction		TWA-MAK: 2 mg/m ³ ; inhalable dust STEL-KZGW: 2 mg/m ³ ; inhalable dust	STEL: 2 mg/m ³ ;	
Quartz 14808-60-7	TLV-NGV: 0.1 mg/m ³ ; respirable fraction		TWA-MAK: 0.15 mg/m ³ ; respirable dust	TWA: 0.1 mg/m ³ ; respirable fraction STEL: 0.3 mg/m ³ ; respirable	
2-Methyl-2H-isothiazol-3-one 2682-20-4	-		TWA-MAK: 0.2 mg/m ³ ; inhalable dust STEL-KZGW: 0.4 mg/m ³ ; inhalable dust	-	

Note See section 16 for terms and abbreviations

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Quartz 14808-60-7	-		-	-	-

Note 1: Details about BEL values can be found in Annex 2 of the Austrian Ordinance on Health Monitoring in the Workplace.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
Calcium carbonate 471-34-1	-	-	6.36 mg/m ³ [5] [6]
2-Methyl-2H-isothiazol-3-one 2682-20-4	-	-	0.021 mg/m ³ [5] [6] 0.043 mg/m ³ [5] [7]
1,2-Benzisothiazol-3(2H)-one 2634-33-5	-	0.966 mg/kg bw/day [4] [6]	6.81 mg/m ³ [4] [6]

Notes

- [4] Systemic health effects.
 [5] Local health effects.
 [6] Long term.
 [7] Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
Calcium carbonate 471-34-1	6.1 mg/kg bw/day [4] [6] 6.1 mg/kg bw/day [4] [7]	-	1.06 mg/m ³ [5] [6]
2-Methyl-2H-isothiazol-3-one 2682-20-4	0.027 mg/kg bw/day [4] [6] 0.053 mg/kg bw/day [4] [7]	-	0.021 mg/m ³ [5] [6] 0.043 mg/m ³ [5] [7]
1,2-Benzisothiazol-3(2H)-one 2634-33-5	-	-	1.2 mg/m ³ [4] [6]

Notes

[4]	Systemic health effects.
[5]	Local health effects.
[6]	Long term.
[7]	Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
2-Methyl-2H-isothiazol-3-one 2682-20-4	3.39 µg/L	3.39 µg/L	3.39 µg/L	3.39 µg/L	-
1,2-Benzisothiazol-3(2H)-one 2634-33-5	4.03 µg/L	1.1 µg/L	0.403 µg/L	110 ng/L	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Calcium carbonate 471-34-1	-	-	100 mg/L	-	-
2-Methyl-2H-isothiazol-3-one 2682-20-4	-	-	0.23 mg/L	0.0471 mg/kg soil dw	-
1,2-Benzisothiazol-3(2H)-one 2634-33-5	49.9 µg/kg sediment dw	4.99 µg/kg sediment dw	1.03 mg/L	3 mg/kg soil dw	-

8.2. Exposure controls**Engineering controls**

Showers
Eyewash stations
Ventilation systems.

Personal protective equipment**Eye/face protection**

Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166.

Hand protection

Wear suitable gloves. Gloves must conform to standard EN 374.

Skin and body protection	Wear suitable protective clothing. (EN ISO 6529).
Respiratory protection	Use appropriate respiratory protection.
Environmental exposure controls	No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Paste
Physical state	Liquid
Colour	White
Odour	Slight
Odour threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point		No data available
Boiling point or initial boiling point and boiling range		No data available
Flammability		No data available
Lower and upper explosion limit/flammability limit		
Lower explosion limit		No data available
Upper explosion limit		No data available
Flash point		No data available
Autoignition temperature		No data available
Decomposition temperature		No data available
SADT (°C)		No data available
pH	8.5 - 9.5	
pH (as aqueous solution)		No data available
Kinematic viscosity		No data available
Dynamic viscosity		No data available
Water solubility	Miscible in water	
Solubility		No data available
Partition coefficient n-octanol/water (log value)		No data available
Vapour pressure		No data available
Density and/or relative density	1.2 (+/- 1%)	
Bulk density		No data available
Liquid Density		No data available
Relative vapour density		No data available
Particle characteristics		
Particle Size		No data available
Particle Size Distribution		No data available

9.2. Other information

Molecular weight	No information available
VOC content	No information available
Softening point	No information available

9.2.1. Information with regards to physical hazard classes

Explosives	
Explosive properties	No information available
Oxidising properties	No information available

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity None under normal use conditions.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Keep from freezing. Heat.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Information on likely routes of exposure****Product Information**

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact May cause sensitisation by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes mild skin irritation.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives. Prolonged contact may cause redness and irritation.

Acute toxicity Based on available data, the classification criteria are not met.

Numerical measures of toxicity No information available.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium carbonate	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	>3 mg/L (Rat) 4h
Sodium hydroxide	= 325 mg/kg (Rat)	= 1350 mg/kg (Rabbit)	-

2-Methyl-2H-isothiazol-3-one	= 120 mg/kg (Rat)	= 242 mg/kg (Rat)	= 0.11 mg/L (Rat) 4 h
1,2-Benzisothiazol-3(2H)-one	= 1020 mg/kg (Rat)	> 2000 mg/kg (Rat)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes mild skin irritation.

Component Information					
Calcium carbonate (471-34-1)					
Exposure route	Effective dose	Method	Species	Exposure time	Results
Dermal	0.5 g				

2-Methyl-2H-isothiazol-3-one (2682-20-4)					
Exposure route	Effective dose	Method	Species	Exposure time	Results
	0.5 mL				

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Calcium carbonate 471-34-1	EC50: >200 mg/L (72h, Algae)	LC50: >10000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000 mg/L (48h, Daphnia magna)
Sodium hydroxide	-	LC50: =45.4mg/L (96h,	-	EC50: =40.4mg/L (48h,

1310-73-2		Oncorhynchus mykiss)		Ceriodaphnia sp.)
2-Methyl-2H-isothiazol-3-one 2682-20-4	EC50: >0.072 mg/L (72h, Skeletonema costatum)	LC50: 4.77 mg/L (96h, Oncorhynchus mykiss)	EC50: 41 mg/L (3h, Activated sludge)	LC50: 0.934 mg/L (48h, Daphnia magna)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential**Bioaccumulation****Component Information**

Chemical name	Partition coefficient
2-Methyl-2H-isothiazol-3-one	-0.486
1,2-Benzisothiazol-3(2H)-one	0.99

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment Based on available data, the classification criteria are not met.

Chemical name	PBT and vPvB assessment
Calcium carbonate 471-34-1	Not PBT/vPvB
Sodium hydroxide 1310-73-2	Not PBT/vPvB
2-Methyl-2H-isothiazol-3-one 2682-20-4	Not PBT/vPvB
1,2-Benzisothiazol-3(2H)-one 2634-33-5	Not PBT/vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

12.7. Other adverse effects

Other adverse effects No information available.

PMT or vPvM properties Based on available data, the classification criteria are not met.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

Waste codes / waste designations according to EWC / AVV According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

IATA	Not regulated
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
IMDG	Not regulated
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
14.7 Maritime transport in bulk according to IMO instruments	No information available
RID	Not regulated
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not applicable
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
ADR	Not regulated
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
ADN	Not regulated
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not applicable
14.5 Environmental hazard	Not applicable
14.6 Special precautions for user	
Special Provisions	None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France**Occupational Illnesses (R-463-3, France)**

Chemical name	French RG number
Quartz - 14808-60-7	RG 25
1,2-Benzisothiazol-3(2H)-one - 2634-33-5	RG 65

Germany

Water hazard class (WGK) slightly hazardous to water (WGK 1).

Chemical Prohibition Ordinance (ChemVerbotsV)

This product is subject to requirements and restrictions regarding handling and delivery.

Chemical name	ANNEX I
Quartz 14808-60-7	1.2

TA Luft (German Air Pollution Control Regulation)

Chemical name	Number	Class
Quartz	5.2.7.1.1	-

TRGS 905

Not applicable.

Netherlands**Carcinogenic, mutagenic and reproductive toxic effects**

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins
Quartz - 14808-60-7	Present	-	-

Switzerland

Ordinance on the Incentive Tax on Volatile Organic Compounds (OVOC) SR 814.018 Not applicable.
Storage of Hazardous Material SC 10/12.
WPO (GSchV) SR 814.201; WPA (GSchG) SR 814.20 Class B.
Major Accidents Ordinance SR 814.012 Not applicable.

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Calcium carbonate - 471-34-1	75	-
Sodium hydroxide - 1310-73-2	75	-
2-Methyl-2H-isothiazol-3-one - 2682-20-4	75	-
1,2-Benzisothiazol-3(2H)-one - 2634-33-5	75	-

Persistent Organic Pollutants

Not applicable.

Ozone-depleting substances (ODS) regulation (EC) 2024/590

Not applicable.

EU - Plant Protection Products (1107/2009/EC)

Chemical name	EU - Plant Protection Products (1107/2009/EC)
Calcium carbonate - 471-34-1	Plant protection agent
Quartz - 14808-60-7	Plant protection agent

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
2-Methyl-2H-isothiazol-3-one - 2682-20-4	Product-type 11: Preservatives for liquid-cooling and processing systems Product-type 12: Slimicides Product-type 13: Working or cutting fluid preservatives Product-type 6: Preservatives for products during storage
1,2-Benzisothiazol-3(2H)-one - 2634-33-5	Product-type 2: Disinfectants and algicides not intended for direct application to humans or animals Product-type 6: Preservatives for products during storage Product-type 9: Fibre, leather, rubber and polymerised materials preservatives Product-type 11: Preservatives for liquid-cooling and processing systems Product-type 12: Slimicides Product-type 13: Working or cutting fluid preservatives

Explosives Precursors Marketing and Use (2019/1148)

Not applicable.

International Inventories

Contact supplier for inventory compliance status

15.2. Chemical safety assessment**Chemical Safety Report**

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of any hazard and/or precautionary statements referred to under Sections 2-15**

EUH071 - Corrosive to the respiratory tract

H290 - May be corrosive to metals

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H372 - Causes damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

P261 - Avoid breathing dust, fume, gas, mist, vapors and spray

P272 - Contaminated work clothing should not be allowed out of the workplace
 P280 - Wear protective gloves
 P302 + P352 - IF ON SKIN: Wash with plenty of water and soap
 P321 - Specific treatment (see supplemental first aid instructions on this label)
 P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
 P362 + P364 - Take off contaminated clothing and wash it before reuse
 P501 - Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable

Legend

ACGIH	American Conference of Governmental Industrial Hygienists
AIDII	Italian Association of Industrial Hygienists
ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)
AIIC	Australian Inventory of Industrial Chemicals
ATE	Acute Toxicity Estimate
ASTM	American Society for the Testing of Materials
bar	Biological Reference Values for Chemical Compounds in the Work Area
BAT	Biological tolerance values for occupational exposure
BEL	Biological exposure limits
bw	Body weight
Ceiling	Maximum limit value
CLP	Classification, Labelling and Packaging Regulation; Regulation (EC) No 1272/2008
CMR	Carcinogen, Mutagen or Reproductive Toxicant
DFG	German Research Foundation
DOT	Department of Transportation (United States)
DSL	Domestic Substances List (Canada)
ECHA	European Chemicals Agency
EC Number	European Community number
EmS	Emergency Schedule
ENCS	Existing and New Chemical Substances (Japan)
EPA	U.S. Environmental Protection Agency
EWC	European Waste Codes
GHS	Globally Harmonized System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO	International Civil Aviation Organisation
IECSC	Inventory of Existing Chemical Substances in China
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organisation for Standardisation
KECI	Korean Existing Chemicals Inventory
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
MAK	Maximum Concentration at the Workplace
MAL	Measuring Technical Hygienic Air Needs
MARPOL	International Convention for the Prevention of Pollution from Ships
MDLPS	Ministry of Labour and Social Policy
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observable Effect Loading Rate
NZIoC	New Zealand Inventory of Chemicals
OECD	Organization for Economic Cooperation and Development
OEL	Occupational exposure limits

PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	Philippines Inventory of Chemicals and Chemical Substances
PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
REACH	Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SDS	Safety Data Sheet
SL	Surface Limit
STEL	Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
SVHC	Substance of very high concern
TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TRGS	Technical Rule for Hazardous Substances
TSCA	Toxic Substances Control Act (United States)
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
As	Allergenic substance
DS	Dermal Sensitizer
Ot	Ototoxicant
pOt	Ototoxicant - potential to cause hearing disorders
PS	Photosensitizer
RS	Respiratory Sensitizer
S	Sensitizer
poS	Sensitizer - capable of causing occupational asthma
Sa	Simple asphyxiant
Sd	Skin designation
pSd	Skin designation - potential for cutaneous absorption
Sdv	Skin designation - vacated
Sk	Skin notation
dSk	Skin notation - danger of cutaneous absorption
pSk	Skin notation - potential for cutaneous absorption

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method

STOT - repeated exposure	Calculation method
Chronic aquatic toxicity	Calculation method
Acute aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
 European Chemicals Agency (ECHA) (ECHA_API)
 U.S. Environmental Protection Agency
 Acute Exposure Guideline Level(s) (AEGL(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 Japan GHS Classification
 Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 U.S. National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications
 International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program
 International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set
 United Nations World Health Organization (WHO)

Issuing Date 09-Jul-2025

Revision date 09-Jul-2025

Revision Note Initial Release.

This safety data sheet complies with the requirements of Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet