

Supersedes date 01-Aug-2023

Revision date 09-Oct-2025

Revision Number 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name Gyproc Drywall Primer
Unique Formula Identifier (UFI) XKM0-8061-100E-NRW1
Synonyms None

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Primers
Uses advised against No specific uses advised against are identified

1.3. Details of the supplier of the safety data sheet

Supplier
Saint-Gobain Construction Products (Ireland) Limited
Unit 4 Kilcarbery Business Park
Nangor Road
Dublin 22
D22 R2Y7
Ireland
Tel: +353 (0)1 629 8444

For further information, please contact

E-mail address enquiries@gyproc.ie

1.4. Emergency telephone number

Emergency telephone ROI: 1800 744480
NI: 0845 3990159
(Monday - Friday, 9am - 5pm)

Emergency telephone - Contact number	
Europe	112
Ireland	National Poisons Information Centre: +353 (0)1 809 2166 (General public)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation	Category 1 - (H317)
---------------------------	---------------------

2.2. Label elements

Contains 2-Methyl-2H-isothiazol-3-one

**Signal word**

Warning

Hazard statements

H317 - May cause an allergic skin reaction.

EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Precautionary Statements - EU (§28, 1272/2008)

P102 - Keep out of reach of children.

P261 - Avoid breathing dusts or mists.

P280 - Wear protective gloves/protective clothing and eye/face protection.

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap.

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.

P501 - Dispose of contents/ container in accordance with national regulations.

Additional information

VOC Labelling

EU: (cat A/g): 30 g/l (2010). This product contains a maximum VOC content of 3.0 g/l.

Biocide Labelling: Contains 2-Methyl-2H-isothiazol-3-one, 1,2-Benzisothiazol-3(2H)-one, Bronopol to prevent microbial deterioration.**2.3. Other hazards****Other hazards** The product does not contain any substance(s) classified as PBT or vPvB.**PBT or vPvB properties** None known.**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.**SECTION 3: Composition/information on ingredients****3.1 Substances**

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No. (Index No.)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	Notes
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	4 - 5	01-2119489379-17-XXXX	236-675-5 (022-006-00-2)	[C]	-	-	-	-
Kaolin	2 - 5	-	310-194-1	[C]	-	-	-	-

1332-58-7								
Bronopol 52-51-7	<0.025	-	200-143-0 (603-085-00-8)	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) STOT SE 3 (H335) Aquatic Acute 1 (H400)	-	10	-	-
2-Methyl-2H-isothiazol-3-one 2682-20-4	<0.025	-	220-239-6 (613-326-00-9)	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Skin Sens. 1A (H317) Eye Dam. 1 (H318) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071)	Skin Sens. 1A :: C>=0.0015%	10	1	-
1,2-Benzisothiazol-3(2H)-one 2634-33-5	<0.0036	-	220-120-9 (613-088-00-6)	Acute Tox. 4 (H302) Acute Tox. 2 (H330) Skin Irrit. 2 (H315) Skin Sens. 1A (H317) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Skin Sens. 1A :: C>=0.036%	1	1	-

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

[C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATE_{mix}) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	2002	No data available	5.0951	No data available	No data available
Kaolin 1332-58-7	5005	5005	No data available	No data available	No data available
Bronopol 52-51-7	193	1600	-	-	-
2-Methyl-2H-isothiazol-3-one 2682-20-4	120	242	0.11	-	-
1,2-Benzisothiazol-3(2H)-one 2634-33-5	450+ 1020	2002	0.21+	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59).

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	Remove person to fresh air and keep comfortable for breathing. Get medical attention immediately if symptoms occur. Administer oxygen if breathing is difficult.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	Wash skin with soap and water. Get medical attention if irritation develops and persists. In the event of any sensitisation symptoms developing, ensure further exposure is avoided.
Ingestion	Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting without medical advice. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Never give anything by mouth to an unconscious person.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8). Avoid contact with skin, eyes or clothing.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	May cause allergic skin reaction. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Prolonged or repeated contact may dry skin and cause irritation. May cause temporary eye irritation.
Effects of Exposure	None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Treat symptomatically.
------------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO ₂). Water spray. Alcohol resistant foam. Use extinguishing agent suitable for type of surrounding fire.
Unsuitable extinguishing media	Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray.
Hazardous combustion products	Carbon oxides. Carbon monoxide.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Avoid breathing vapours or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Do not touch or walk through spilled material. Do not handle until all safety precautions have been read and understood. Wear personal protective clothing (see section 8).

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Local authorities should be advised if significant spillages cannot be contained. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Clear up spills immediately and dispose of waste safely. Small spill: Wipe up with absorbent material (eg. cloth, fleece). Large spill: Cover liquid spill with sand, earth or other noncombustible absorbent material. Pick up and transfer to properly labelled containers. After cleaning, flush away traces with water. Wash thoroughly after handling.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Keep out of reach of children. Handle in accordance with good industrial hygiene and safety practice. Read carefully and follow all instructions. Wear personal protective equipment. See section 8 for more information. Avoid contact with skin and eyes. Avoid breathing vapours or mists. Keep away from food, drink and animal feedingstuffs. Keep container closed when not in use.

General hygiene considerations Wash hands before breaks and immediately after handling the product. Do not eat, drink or smoke when using this product. Take off all contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep container upright. Store in accordance with local regulations. Store away from incompatible materials.

7.3. Specific end use(s)

Specific use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure Limits**

Chemical name	Austria	Belgium	Bulgaria	Croatia
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	TWA-TMW: 5 mg/m ³ ; alveolar dust, respirable fraction STEL-KZGW: 10 mg/m ³ (2 X 60 min); alveolar dust, respirable fraction C	TWA: 10 mg/m ³ ;	TWA: 10.0 mg/m ³ ; respirable dust	TWA-GVI: 10 mg/m ³ ; total dust, inhalable particles TWA-GVI: 4 mg/m ³ ; respirable dust
Kaolin 1332-58-7	-	TWA: 2 mg/m ³ ; alveolar fraction	TWA: 3.0 mg/m ³ ; respirable fraction TWA: 6.0 mg/m ³ ; inhalable fraction	TWA-GVI: 2 mg/m ³ ; respirable dust
2-Methyl-2H-isothiazol-3-one 2682-20-4	TWA-TMW: 0.05 mg/m ³ ; DS	-	-	-
Chemical name	Cyprus	Czech Republic	Denmark	Estonia
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	-	-	TWA: 6 mg/m ³ ; STEL: 12 mg/m ³ ;	TWA: 5 mg/m ³ ;
Kaolin 1332-58-7	-	-	TWA: 2 mg/m ³ ; respirable STEL: 4 mg/m ³ ; respirable	-
Chemical name	Finland	France	Germany TRGS	Germany DFG
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	-	TWA-VME: 10 mg/m ³ ;	TWA-AGW; 10 mg/m ³ (2(II)); inhalable fraction TWA-AGW; 1.25 mg/m ³ (); respirable fraction	TWA-MAK: 0.3 mg/m ³ ; I(8); respirable fraction
Kaolin 1332-58-7	TWA: 2 mg/m ³ ; respirable dust	TWA-VME: 10 mg/m ³ ;	-	-
2-Methyl-2H-isothiazol-3-one 2682-20-4	-	-	-	TWA-MAK: 0.2 mg/m ³ ; I(2); inhalable fraction
Chemical name	Greece	Hungary	Italy MDLPS	Italy AIDII
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	TWA: 10 mg/m ³ ; inhalable fraction TWA: 5 mg/m ³ ; respirable fraction	-	-	TWA: 10 mg/m ³ ;
Kaolin 1332-58-7	-	-	-	TWA: 2 mg/m ³ ; respirable fraction
Chemical name	Ireland	Latvia	Lithuania	Luxembourg
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	TWA: 10 mg/m ³ ; total inhalable dust TWA: 4 mg/m ³ ; respirable dust STEL: 30 mg/m ³ (calculated); respirable dust	TWA: 10 mg/m ³ ;	TWA-IPRD: 5 mg/m ³ ;	-

	STEL: 12 mg/m ³ (calculated);			
Kaolin 1332-58-7	TWA: 2 mg/m ³ ; respirable dust	-	-	-
Chemical name	Malta	Netherlands	Norway	Poland
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	-	-	TWA: 5 mg/m ³ ; STEL: 10 mg/m ³ (value calculated);	TWA-NDS: 10 mg/m ³ ; inhalable fraction STEL-NDSch: 30 mg/m ³ ;
Kaolin 1332-58-7	-	-	-	TWA-NDS: 10.0 mg/m ³ ; inhalable fraction
Chemical name	Portugal	Romania	Slovakia	Slovenia
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	TWA (VLE-MP): 10 mg/m ³ ;	TWA: 10 mg/m ³ ; STEL: 15 mg/m ³ ;	TWA: 5 mg/m ³ ;	-
Kaolin 1332-58-7	TWA (VLE-MP): 2 mg/m ³ ; respirable fraction	-	TWA: 10 mg/m ³ ;	-
Chemical name	Spain	Sweden	Switzerland	United Kingdom
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	TWA-(VLA-ED): 10 mg/m ³ ;	TLV-NGV: 5 mg/m ³ ; total dust	TWA-MAK: 3 mg/m ³ ; respirable dust TWA-MAK: 10 mg/m ³ ; inhalable dust	TWA: 10 mg/m ³ ; total inhalable TWA: 4 mg/m ³ ; respirable STEL: 30 mg/m ³ ; total inhalable STEL: 12 mg/m ³ ; respirable
Kaolin 1332-58-7	TWA-(VLA-ED): 2 mg/m ³ ; respirable fraction	-	TWA-MAK: 3 mg/m ³ ; respirable dust	TWA: 2 mg/m ³ ; respirable dust STEL: 6 mg/m ³ ; respirable dust
2-Methyl-2H-isothiazol-3-one 2682-20-4	-	-	TWA-MAK: 0.2 mg/m ³ ; inhalable dust STEL-KZGW: 0.4 mg/m ³ ; inhalable dust	-

Biological occupational exposure limits**Derived No Effect Level (DNEL) - Workers**

Chemical name	Oral	Dermal	Inhalation
Bronopol 52-51-7	-	2 mg/kg bw/day [4] [6] 6 mg/kg bw/day [4] [7] 8 µg/cm ² [5] [6] 8 µg/cm ² [5] [7]	3.5 mg/m ³ [4] [6] 10.5 mg/m ³ [4] [7] 2.5 mg/m ³ [5] [6] 2.5 mg/m ³ [5] [7]
2-Methyl-2H-isothiazol-3-one 2682-20-4	-	-	0.021 mg/m ³ [5] [6] 0.043 mg/m ³ [5] [7]
1,2-Benzisothiazol-3(2H)-one 2634-33-5	-	0.966 mg/kg bw/day [4] [6]	6.81 mg/m ³ [4] [6]

Notes

- [4] Systemic health effects.
[5] Local health effects.
[6] Long term.

[7] Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
Bronopol 52-51-7	0.18 mg/kg bw/day [4] [6] 0.5 mg/kg bw/day [4] [7]	2.1 mg/kg bw/day [4] [6] 2.1 mg/kg bw/day [4] [7] 4 µg/cm ² [5] [6] 4 µg/cm ² [5] [7]	0.6 mg/m ³ [4] [6] 1.8 mg/m ³ [4] [7] 0.6 mg/m ³ [5] [6] 0.6 mg/m ³ [5] [7]
2-Methyl-2H-isothiazol-3-one 2682-20-4	0.027 mg/kg bw/day [4] [6] 0.053 mg/kg bw/day [4] [7]	-	0.021 mg/m ³ [5] [6] 0.043 mg/m ³ [5] [7]
1,2-Benzisothiazol-3(2H)-one 2634-33-5	-	-	1.2 mg/m ³ [4] [6]

Notes

[4] Systemic health effects.
 [5] Local health effects.
 [6] Long term.
 [7] Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
Bronopol 52-51-7	0.00125 mg/L	0.000265 mg/L	0.00052 mg/L	-	-
2-Methyl-2H-isothiazol-3-one 2682-20-4	3.39 µg/L	3.39 µg/L	3.39 µg/L	3.39 µg/L	-
1,2-Benzisothiazol-3(2H)-one 2634-33-5	4.03 µg/L	1.1 µg/L	0.403 µg/L	110 ng/L	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Bronopol 52-51-7	0.0215 mg/kg sediment dw	0.008944 mg/kg sediment dw	0.43 mg/L	0.21 mg/kg soil dw	-
2-Methyl-2H-isothiazol-3-one 2682-20-4	-	-	0.23 mg/L	0.0471 mg/kg soil dw	-
1,2-Benzisothiazol-3(2H)-one 2634-33-5	49.9 µg/kg sediment dw	4.99 µg/kg sediment dw	1.03 mg/L	3 mg/kg soil dw	-

8.2. Exposure controls

Engineering controls

Ensure adequate ventilation, especially in confined areas. As this product contains ingredients with exposure limits, process enclosures, local exhaust ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits, if use generates dust, fumes, gas, vapour or mist. Provide extract ventilation at the points where emissions occur. Ensure the ventilation system is regularly maintained and tested.

Personal protective equipment

Eye/face protection	If there is a risk of contact: Tight sealing safety goggles. Eye protection must conform to standard EN 166.
Hand protection	Gloves must conform to standard EN 374. Wear suitable gloves. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. In case of insufficient ventilation, wear suitable respiratory equipment. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly.
Environmental exposure controls	Prevent product from entering drains.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties****Appearance**

Physical state	Liquid
Colour	According to product specification
Odour	Characteristic
Odour threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point		No data available
Boiling point or initial boiling point and boiling range		No data available
Flammability		No data available
Lower and upper explosion limit/flammability limit		
Lower explosion limit		No data available
Upper explosion limit		No data available
Flash point		No data available
Autoignition temperature		No data available
Decomposition temperature		No data available
SADT (°C)		No data available
pH		No data available
pH (as aqueous solution)		No data available
Kinematic viscosity		No data available
Dynamic viscosity		No data available
Water solubility	Immiscible in water	No data available
Solubility		No data available
Partition coefficient n-octanol/water (log value)		No data available
Vapour pressure		No data available
Density and/or relative density		No data available
Bulk density		No data available
Liquid Density		No data available
Relative vapour density		No data available
Particle characteristics		
Particle Size		No data available

Particle Size Distribution

No data available

9.2. Other information**Molecular weight** No information available**VOC content** No information available**Softening point** No information available**9.2.1. Information with regards to physical hazard classes****Explosives**

Explosive properties No information available

Oxidising properties No information available**9.2.2. Other safety characteristics**

No information available

SECTION 10: Stability and reactivity**10.1. Reactivity****Reactivity** None under normal use conditions.**10.2. Chemical stability****Stability** Stable under normal conditions.**Explosion data****Sensitivity to mechanical impact** None.**Sensitivity to static discharge** None.**10.3. Possibility of hazardous reactions****Possibility of hazardous reactions** None under normal processing.**10.4. Conditions to avoid****Conditions to avoid** Keep from freezing. Heat.**10.5. Incompatible materials****Incompatible materials** Acids.**10.6. Hazardous decomposition products****Hazardous decomposition products** None under normal use conditions. Ethers.**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Information on likely routes of exposure****Product Information****Inhalation** Specific test data for the substance or mixture is not available.**Eye contact** Specific test data for the substance or mixture is not available. May cause temporary eye irritation.**Skin contact** May cause sensitisation by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components). Prolonged or repeated contact may dry skin and cause irritation.

Ingestion

Specific test data for the substance or mixture is not available. May cause gastrointestinal discomfort.

Symptoms related to the physical, chemical and toxicological characteristics**Symptoms**

May cause allergic skin reaction. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Prolonged or repeated contact may dry skin and cause irritation. May cause temporary eye irritation.

Acute toxicity

Based on available data, the classification criteria are not met.

Numerical measures of toxicity No information available.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]	> 2000 mg/kg (Rat)	-	> 5.09 mg/L (Rat) 4 h
Kaolin	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
Bronopol	= 193 mg/kg (Rat)	= 1600 mg/kg (Rat)	> 5 g/m ³ (Rat) 6 h
2-Methyl-2H-isothiazol-3-one	= 120 mg/kg (Rat)	= 242 mg/kg (Rat)	= 0.11 mg/L (Rat) 4 h
1,2-Benzisothiazol-3(2H)-one	= 1020 mg/kg (Rat)	> 2000 mg/kg (Rat)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

May cause sensitisation by skin contact.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT - single exposure

Based on available data, the classification criteria are not met.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Not applicable.

11.2. Information on other hazards**11.2.1. Endocrine disrupting properties****Endocrine disruption for human health**

This product does not contain any known or suspected endocrine disruptors.

11.2.2. Other information

Other adverse effects None known based on information supplied.

SECTION 12: Ecological information

12.1. Toxicity Based on available data, the classification criteria are not met.

Chemical name	Fish	Crustacea	Algae/aquatic plants	Toxicity to microorganisms
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]	-	LC50: 500 mg/L (48h, Daphnia magna)	EC50: 100mg/L (72h, Algae)	-
2-Methyl-2H-isothiazol-3-one	LC50: 4.77 mg/L (96h, Oncorhynchus mykiss)	LC50: 0.934 mg/L (48h, Daphnia magna)	EC50: >0.072 mg/L (72h, Skeletonema costatum)	EC50: 41 mg/L (3h, Activated sludge)

12.2. Persistence and degradability No information available.

12.3. Bioaccumulative potential No information available.

Chemical name	Partition coefficient	Bioconcentration factor (BCF)	Trophic magnification factor (TMF)
Bronopol	0.22	-	-
2-Methyl-2H-isothiazol-3-one	-0.486	-	-
1,2-Benzisothiazol-3(2H)-one	0.99	-	-

12.4. Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]	Not PBT/vPvB
Bronopol	Not PBT/vPvB
2-Methyl-2H-isothiazol-3-one	Not PBT/vPvB
1,2-Benzisothiazol-3(2H)-one	Not PBT/vPvB

12.6. Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors.

12.7. Other adverse effects No information available.

PMT or vPvM properties Based on available data, the classification criteria are not met.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Recover or recycle if possible. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. This material and its container must be disposed of in a safe way.
Contaminated packaging	Since empty containers retain product residue, follow label warnings even after container is emptied. Recover or recycle if possible.
Waste codes / waste designations according to EWC / AVV	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

<u>IATA</u>	Not regulated
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
<u>IMDG</u>	Not regulated
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
14.7 Maritime transport in bulk according to IMO instruments	No information available
<u>RID</u>	Not regulated
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
<u>ADR</u>	Not regulated
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
<u>ADN</u>	Not regulated
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not applicable
14.5 Environmental hazard	Not applicable
14.6 Special precautions for user	

Special Provisions None

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****France****Occupational Illnesses (R-463-3, France)**

Chemical name	French RG number
1,2-Benzisothiazol-3(2H)-one 2634-33-5	RG 65, RG 66

Chemical Prohibition Ordinance (ChemVerbotsV)

Not applicable.

TA Luft (German Air Pollution Control Regulation)

Chemical name	Number	Class
Bronopol 52-51-7	5.2.4	Class II

TRGS 905

Not applicable

Ordinance on the Incentive Tax on Volatile Organic Compounds (OVOC) SR 814.018 Not applicable**Storage of Hazardous Material** Not applicable**WPO (GSchV) SR 814.201; WPA (GSchG) SR 814.20** Not applicable**Major Accidents Ordinance SR 814.012** Not applicable**European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm] 13463-67-7	75	-
Bronopol 52-51-7	75	-
2-Methyl-2H-isothiazol-3-one 2682-20-4	75	-
1,2-Benzisothiazol-3(2H)-one 2634-33-5	75	-

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 2024/590

Not applicable.

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
Bronopol 52-51-7	Product-type 2: Disinfectants and algaecides not intended for direct application to humans or animals Product-type 6: Preservatives for products during storage Product-type 11: Preservatives for liquid-cooling and processing systems Product-type 12: Slimicides Product-type 22: Embalming and taxidermist fluids
2-Methyl-2H-isothiazol-3-one 2682-20-4	Product-type 11: Preservatives for liquid-cooling and processing systems Product-type 12: Slimicides Product-type 13: Working or cutting fluid preservatives Product-type 6: Preservatives for products during storage
1,2-Benzisothiazol-3(2H)-one 2634-33-5	Product-type 2: Disinfectants and algaecides not intended for direct application to humans or animals Product-type 6: Preservatives for products during storage Product-type 9: Fibre, leather, rubber and polymerised materials preservatives Product-type 11: Preservatives for liquid-cooling and processing systems Product-type 12: Slimicides Product-type 13: Working or cutting fluid preservatives

Explosives Precursors Marketing and Use (2019/1148)

Not applicable.

International Inventories

Contact supplier for inventory compliance status

15.2. Chemical safety assessment**Chemical Safety Report**

Not applicable.

SECTION 16: Other information**Full text of any hazard and/or precautionary statements referred to under Sections 2-15**

EUH071 - Corrosive to the respiratory tract

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H312 - Harmful in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H335 - May cause respiratory irritation

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

P261 - Avoid breathing dust, fume, gas, mist, vapors and spray

P272 - Contaminated work clothing should not be allowed out of the workplace
 P280 - Wear protective gloves, protective clothing, eye protection and face protection
 P302 + P352 - IF ON SKIN: Wash with plenty of water and soap
 P321 - Specific treatment (see supplemental first aid instructions on this label)
 P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
 P362 + P364 - Take off contaminated clothing and wash it before reuse
 P501 - Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable

Key or legend to abbreviations and acronyms used in the safety data sheet

List may include phrases which are not applicable to this product

ACGIH	American Conference of Governmental Industrial Hygienists
AIDII	Italian Association of Industrial Hygienists
ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)
AIIC	Australian Inventory of Industrial Chemicals
ATE	Acute Toxicity Estimate
ASTM	American Society for the Testing of Materials
bar	Biological Reference Values for Chemical Compounds in the Work Area
BAT	Biological tolerance values for occupational exposure
BEL	Biological exposure limits
bw	Body weight
Ceiling	Maximum limit value
CLP	Classification, Labelling and Packaging Regulation; Regulation (EC) No 1272/2008
CMR	Carcinogen, Mutagen or Reproductive Toxicant
DFG	German Research Foundation
DOT	Department of Transportation (United States)
DSL	Domestic Substances List (Canada)
ECHA	European Chemicals Agency
EC Number	European Community number
EmS	Emergency Schedule
ENCS	Existing and New Chemical Substances (Japan)
EPA	U.S. Environmental Protection Agency
EWC	European Waste Codes
GHS	Globally Harmonized System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO	International Civil Aviation Organisation
IECSC	Inventory of Existing Chemical Substances in China
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organisation for Standardisation
KECI	Korean Existing Chemicals Inventory
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
MAK	Maximum Concentration at the Workplace
MAL	Measuring Technical Hygienic Air Needs
MARPOL	International Convention for the Prevention of Pollution from Ships
MDLPS	Ministry of Labour and Social Policy
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observable Effect Loading Rate
NZIoC	New Zealand Inventory of Chemicals

OECD	Organization for Economic Cooperation and Development
OEL	Occupational exposure limits
PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	Philippines Inventory of Chemicals and Chemical Substances
PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
REACH	Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SDS	Safety Data Sheet
SL	Surface Limit
STEL	Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
SVHC	Substance of very high concern
TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TRGS	Technical Rule for Hazardous Substances
TSCA	Toxic Substances Control Act (United States)
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
As	Allergenic substance
C	Carcinogen
DS	Dermal Sensitizer
Ot	Ototoxicant
pOt	Ototoxicant - potential to cause hearing disorders
PS	Photosensitiser
RS	Respiratory Sensitiser
S	Sensitizer
poS	Sensitizer - capable of causing occupational asthma
Sa	Simple asphyxiant
Sd	Skin designation
pSd	Skin designation - potential for cutaneous absorption
Sdv	Skin designation - vacated
Sk	Skin notation
dSk	Skin notation - danger of cutaneous absorption
pSk	Skin notation - potential for cutaneous absorption

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method

Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
 European Chemicals Agency (ECHA) (ECHA_API)
 U.S. Environmental Protection Agency
 Acute Exposure Guideline Level(s) (AEGL(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 Japan GHS Classification
 Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 U.S. National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications
 International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program
 International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set
 United Nations World Health Organization (WHO)

Issuing Date 09-Dec-2020
Supersedes date 01-Aug-2023
Revision date 09-Oct-2025
Revision Note Document reviewed. SDS sections updated: 3.

This safety data sheet complies with the requirements of Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet