

Supersedes date 07-27-2023

Revision date 06-10-2025

Revision Number 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name Rigitone Edge ReadyMix 600ml
Synonyms None
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Joint filler
Uses advised against No specific uses advised against are identified

1.3. Details of the supplier of the safety data sheet

Supplier

Saint-Gobain Construction Products (Ireland) Limited
Unit 4 Kilcarbery Business Park
Nangor Road
Dublin 22
D22 R2Y7
Ireland
Tel: +353 (0)1 629 8444

For further information, please contact

E-mail address enquiries@gyproc.ie

1.4. Emergency telephone number

Emergency telephone ROI: 1800 744480
NI: 0845 3990159
(Monday - Friday, 9am - 5pm)

Emergency telephone - Contact number

Europe	112
--------	-----

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation	Category 1 - (H317)
---------------------------	---------------------

2.2. Label elements

Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1);
1,2-Benzisothiazol-3(2H)-one

**Signal word**

Warning

Hazard statements

H317 - May cause an allergic skin reaction.

Precautionary Statements - EU (§28, 1272/2008)

P321 - Specific treatment (see supplemental first aid instructions on this label).

P261 - Avoid breathing dust, fume, gas, mist, vapors and spray.

P280 - Wear protective gloves.

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.

P362 + P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable.

Biocide Labelling: Contains preservatives Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-Benzisothiazol-3(2H)-one, Bronopol to prevent microbial deterioration

2.3. Other hazards**Other hazards**

Harmful to aquatic life.

PBT & vPvB

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable

3.2 Mixtures**Chemical nature**

Watery polymer binders with light fillers and additives.

Chemical name	Weight-%	REACH registration number	EC No. (Index No.)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	Notes
Mica 12001-26-2	1 - 5	-	-	[C]	-	-	-	-
Glass, oxide 65997-17-3	<1%	No data available	266-046-0	[C]	-	-	-	-
Quartz (SiO ₂) 14808-60-7	<1	-	238-878-4	[C]	-	-	-	-
Bronopol 52-51-7	=0.025 - <0.1	-	200-143-0 (603-085-00-8)	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Skin Irrit. 2 (H315)	-	10	-	-

				Eye Dam. 1 (H318) STOT SE 3 (H335) Aquatic Acute 1 (H400)				
1,2-Benzisothiazol-3(2H)-one 2634-33-5	<0.025	-	220-120-9 (613-088-00-6)	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Skin Sens. 1A (H317) Eye Dam. 1 (H318) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Skin Sens. 1A :: C>=0.036%	1	1	-
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9	=0.0015 - <0.0025 %	-	(613-167-00-5)	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Skin Corr. 1C (H314) Skin Sens. 1A (H317) Eye Dam. 1 (H318) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071)	Eye Irrit. 2 :: 0.06%<=C<0.6% Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1A :: C>=0.0015% Eye Dam. 1 :: C>=0.6%	100	100	B

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

[C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Bronopol 52-51-7	193	1600	-	-	-
1,2-Benzisothiazol-3(2H)-one 2634-33-5	450+ 1020	2002	0.21+	No data available	No data available
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9	53	87.12	No data available	No data available	No data available

+ This value is the harmonised acute toxicity estimate (ATE) listed in CLP Annex VI, Part 3. This harmonised ATE value must be used when calculating the acute toxicity estimate (ATEmix) for classifying a mixture containing the listed substance

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms occur.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor.
Ingestion	Clean mouth with water and afterwards drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	May cause temporary eye irritation. May cause discomfort if swallowed. May cause skin irritation in susceptible persons. Itching. Rashes. Hives.
Effects of Exposure	None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	May cause sensitisation in susceptible persons. Treat symptomatically.
------------------------	--

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	Product is or contains a sensitiser. May cause sensitisation by skin contact.
Hazardous combustion products	Harmful gases or vapours. Carbon monoxide. Carbon dioxide (CO ₂).

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Do not handle until all safety precautions have been read and understood. Wear personal
-----------------------------	---

protective clothing (see section 8). Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Clear up spills immediately and dispose of waste safely. Use personal protection recommended in Section 8. Small spill: Wipe up with absorbent material (eg. cloth, fleece). Large spill: Wash thoroughly after handling.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Read carefully and follow all instructions. Keep out of reach of children. Wear personal protective equipment. Keep away from food, drink and animal feedingstuffs. Keep container closed when not in use. Avoid breathing vapours. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.

General hygiene considerations Wash hands before breaks and after work. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Store away from incompatible materials. Keep container upright. Keep containers tightly closed in a dry, cool and well-ventilated place.

Storage class (TRGS 510) LGK 10.

7.3. Specific end use(s)

Specific use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Mica 12001-26-2	-	TWA-TMW: 10 mg/m ³ ; inhalable fraction	TWA: 3 mg/m ³ ;	TWA: 3.0 mg/m ³ ; respirable fraction TWA: 6.0 mg/m ³ ;	TWA-GVI: 0.8 mg/m ³ ; respirable dust

				inhalable fraction	TWA-GVI: 10 mg/m ³ ; total dust, inhalable particles
Glass, oxide 65997-17-3	-	-	TWA: 10 mg/m ³ ; dust and fiber	-	-
Quartz (SiO ₂) 14808-60-7	TWA: 0.1 mg/m ³ ;	TWA-TMW: 0.05 mg/m ³ ; alveolar dust, respirable fraction	TWA: 0.1 mg/m ³ ; alveolar dust TWA: 0.05 mg/m ³ ;	TWA: 0.1 mg/m ³ ; respirable fraction	TWA-GVI: 0.1 mg/m ³ ; respirable dust; respirable particle
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9	-	TWA-TMW: 0.05 mg/m ³ ; DS	-	-	-
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Mica 12001-26-2	-	TWA: 2.0 mg/m ³ ; respirable fraction	-	-	-
Glass, oxide 65997-17-3	-	-	-	-	TWA: 5 mg/m ³ ; inhalable dust TWA: 1 fiber/cm ³ ;
Quartz (SiO ₂) 14808-60-7	TWA: 0.1 mg/m ³ ; respirable dust fraction	TWA: 0.1 mg/m ³ ; dust	TWA: 0.3 mg/m ³ ; total TWA: 0.1 mg/m ³ ; respirable STEL: 0.6 mg/m ³ ; total STEL: 0.2 mg/m ³ ; respirable	TWA: 0.1 mg/m ³ ; inhalable dust	TWA: 0.05 mg/m ³ ; respirable dust
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Quartz (SiO ₂) 14808-60-7	TWA-VME (restrictif): 0.1 mg/m ³ ; alveolar fraction	-	-	TWA: 0.1 mg/m ³ ; respirable dust fraction	TWA-AK: 0.1 mg/m ³ ; respirable fraction
Bronopol 52-51-7	-	-	Sk DS	-	-
1,2-Benzisothiazol-3(2H)-one 2634-33-5	-	-	DS	-	-
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Mica 12001-26-2	TWA: 3 mg/m ³ ; respirable fraction STEL: 9 mg/m ³ (calculated); respirable fraction	-	TWA: 3 mg/m ³ ; respirable fraction	-	-
Glass, oxide 65997-17-3	-	-	TWA: 1 fiber/cm ³ ; fiber TWA: 5 mg/m ³ ; inhalable fraction	-	-
Quartz (SiO ₂) 14808-60-7	TWA: 0.1 mg/m ³ STEL: 0.3 mg/m ³ (Silica, crystalline, respirable dust) TWA: 6 mg/m ³ TWA: 2.4 mg/m ³ (Silica, amorphous)	TWA: 0.1 mg/m ³ ; respirable fraction	TWA: 0.025 mg/m ³ ; respirable fraction	-	TWA-IPRD: 0.1 ppm; respirable fraction
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Mica 12001-26-2	-	-	-	TWA: 6 mg/m ³ ; total dust TWA: 3 mg/m ³ ;	-

				respirable dust STEL: 12 mg/m ³ (value calculated); total dust STEL: 6 mg/m ³ (value calculated); respirable dust	
Quartz (SiO ₂) 14808-60-7	-	-	TWA: 0.075 mg/m ³ ; respirable fraction	TWA: 0.05 mg/m ³ ; respirable dust TWA: 0.3 mg/m ³ ; total dust STEL: 0.9 mg/m ³ (value calculated;dust containing .alpha.-Quartz, Cristobalite and/or Tridymite is evaluated by summation formula. At the same time, the values for Nuisance dust must be observed); total dust STEL: 0.15 mg/m ³ (value calculated;dust containing .alpha.-Quartz, Cristobalite and/or Tridymite is evaluated by summation formula. At the same time, the values for Nuisance dust must be observed); respirable dust	TWA-NDS: 0.1 mg/m ³ ; respirable fraction
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Mica 12001-26-2	TWA (VLE-MP): 3 mg/m ³ ; respirable fraction	TWA: 3 mg/m ³ ; dust, respirable fraction	Ceiling: 10 mg/m ³ ; solid aerosol	-	TWA-(VLA-ED): 3 mg/m ³ ; respirable fraction
Glass, oxide 65997-17-3	TWA (VLE-MP): 1 fiber/cm ³ ; TWA (VLE-MP): 5 mg/m ³ ; inhalable fraction	-	-	-	-
Quartz (SiO ₂) 14808-60-7	TWA (VLE-MP): 0.025 mg/m ³ ; respirable fraction	TWA: 0.1 mg/m ³ ; dust, respirable fraction	TWA: 0.1 mg/m ³ ; STEL: 0.5 mg/m ³ ;	TWA: 0.05 mg/m ³ ; respirable fraction	TWA-(VLA-ED): 0.05 mg/m ³ ; respirable fraction
Chemical name	Sweden		Switzerland		United Kingdom
Mica 12001-26-2	-		TWA-MAK: 3 mg/m ³ ; respirable dust		TWA: 10 mg/m ³ ; total inhalable TWA: 0.8 mg/m ³ ; respirable STEL: 30 mg/m ³ ; total inhalable STEL: 2.4 mg/m ³ ; respirable
Glass, oxide 65997-17-3	TLV-NGV: 1 fiber/cm ³ ; respirable fiber		-		-

Quartz (SiO ₂) 14808-60-7	TLV-NGV: 0.1 mg/m ³ ; respirable fraction	TWA-MAK: 0.15 mg/m ³ ; respirable dust	TWA: 0.1 mg/m ³ (Silica, respirable crystalline) TWA: 6 mg/m ³ TWA: 2.4 mg/m ³ (Silica, amorphous)
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9	-	TWA-MAK: 0.2 mg/m ³ ; inhalable dust STEL-KZGW: 0.4 mg/m ³ ; inhalable dust S	-

Note See section 16 for terms and abbreviations

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Quartz (SiO ₂) 14808-60-7	-		-	-	-

Note 1: Details about BEL values can be found in Annex 2 of the Austrian Ordinance on Health Monitoring in the Workplace.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
Bronopol 52-51-7	-	2 mg/kg bw/day [4] [6] 6 mg/kg bw/day [4] [7] 8 µg/cm ² [5] [6] 8 µg/cm ² [5] [7]	3.5 mg/m ³ [4] [6] 10.5 mg/m ³ [4] [7] 2.5 mg/m ³ [5] [6] 2.5 mg/m ³ [5] [7]
1,2-Benzisothiazol-3(2H)-one 2634-33-5	-	0.966 mg/kg bw/day [4] [6]	6.81 mg/m ³ [4] [6]
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9	-	-	0.02 mg/m ³ [5] [6] 0.04 mg/m ³ [5] [7]

Notes

- [4] Systemic health effects.
[5] Local health effects.
[6] Long term.
[7] Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
Bronopol 52-51-7	0.18 mg/kg bw/day [4] [6] 0.5 mg/kg bw/day [4] [7]	2.1 mg/kg bw/day [4] [6] 2.1 mg/kg bw/day [4] [7] 4 µg/cm ² [5] [6] 4 µg/cm ² [5] [7]	0.6 mg/m ³ [4] [6] 1.8 mg/m ³ [4] [7] 0.6 mg/m ³ [5] [6] 0.6 mg/m ³ [5] [7]
1,2-Benzisothiazol-3(2H)-one 2634-33-5	-	-	1.2 mg/m ³ [4] [6]
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9	0.09 mg/kg bw/day [4] [6] 0.11 mg/kg bw/day [4] [7]	-	0.02 mg/m ³ [5] [6] 0.04 mg/m ³ [5] [7]

Notes

- [4] Systemic health effects.
[5] Local health effects.

[6] Long term.
[7] Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
Bronopol 52-51-7	0.00125 mg/L	0.000265 mg/L	0.00052 mg/L	-	-
1,2-Benzisothiazol-3(2H)-one 2634-33-5	4.03 µg/L	1.1 µg/L	0.403 µg/L	110 ng/L	-
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9	3.39 µg/L	3.39 µg/L	3.39 µg/L	3.39 µg/L	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Bronopol 52-51-7	0.0215 mg/kg sediment dw	0.008944 mg/kg sediment dw	0.43 mg/L	0.21 mg/kg soil dw	-
1,2-Benzisothiazol-3(2H)-one 2634-33-5	49.9 µg/kg sediment dw	4.99 µg/kg sediment dw	1.03 mg/L	3 mg/kg soil dw	-
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9	0.027 mg/kg sediment dw	0.027 mg/kg sediment dw	0.23 mg/L	0.01 mg/kg soil dw	-

8.2. Exposure controls

Engineering controls

Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimise exposure.

Personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166.

Hand protection

Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended. Wear suitable gloves. Gloves must conform to standard EN 374.

Skin and body protection	Wear suitable protective clothing.
Respiratory protection	Use appropriate respiratory protection.
Environmental exposure controls	Prevent product from entering drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Paste
Physical state	Liquid
Colour	White
Odour	Slight
Odour threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point	~0	No data available
Boiling point or initial boiling point and boiling range		No data available
Flammability		No data available
Lower and upper explosion limit/flammability limit		
Lower explosion limit		No data available
Upper explosion limit		No data available
Flash point		No data available
Autoignition temperature		No data available
Decomposition temperature		No data available
SADT (°C)		No data available
pH	~8	No data available
pH (as aqueous solution)		No data available
Kinematic viscosity		No data available
Dynamic viscosity		No data available
Water solubility		No data available
Solubility		No data available
Partition coefficient n-octanol/water (log value)		No data available
Vapour pressure		No data available
Density and/or relative density		No data available
Bulk density		No data available
Liquid Density		No data available
Relative vapour density		No data available
Particle characteristics		
Particle Size		No data available
Particle Size Distribution		No data available

9.2. Other information

Molecular weight	No information available
VOC content	No information available
Softening point	No information available

9.2.1. Information with regards to physical hazard classes

Explosives	
Explosive properties	No information available
Oxidising properties	No information available

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity None under normal use conditions.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions. Ethers.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Information on likely routes of exposure****Product Information**

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact May cause sensitisation by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause temporary eye irritation. May cause discomfort if swallowed. May cause skin irritation in susceptible persons. Itching. Rashes. Hives.

Acute toxicity Based on available data, the classification criteria are not met.

Numerical measures of toxicity**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Bronopol	= 193 mg/kg (Rat)	= 1600 mg/kg (Rat)	> 5 g/m ³ (Rat) 6 h

1,2-Benzisothiazol-3(2H)-one	= 1020 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	= 53 mg/kg (Rat)	= 87.12 mg/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT - single exposure	Based on available data, the classification criteria are not met.
STOT - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors.

11.2.2. Other information

Other adverse effects None known based on information supplied.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Harmful to aquatic life.

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation Not likely to bioaccumulate.

Component Information

Chemical name	Partition coefficient
Bronopol	0.22
1,2-Benzisothiazol-3(2H)-one	0.99
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	0.7

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment Based on available data, the classification criteria are not met.

Chemical name	PBT and vPvB assessment
Glass, oxide 65997-17-3	PBT assessment does not apply
Bronopol 52-51-7	Not PBT/vPvB
1,2-Benzisothiazol-3(2H)-one 2634-33-5	Not PBT/vPvB
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9	Not PBT/vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors.

12.7. Other adverse effects

Other adverse effects None known based on information supplied.

PMT or vPvM properties Based on available data, the classification criteria are not met.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Waste from residues/unused products This material and its container must be disposed of in a safe way.

Contaminated packaging Since empty containers retain product residue, follow label warnings even after container is emptied.

Waste codes / waste designations according to EWC / AVV According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

IATA	Not regulated
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

IMDG	Not regulated
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID	Not regulated
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not applicable
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

ADR	Not regulated
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

ADN	Not regulated
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not applicable
14.5 Environmental hazard	Not applicable
14.6 Special precautions for user	
Special Provisions	None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Mica - 12001-26-2	RG 25
Glass, oxide - 65997-17-3	RG 42
Quartz (SiO ₂) - 14808-60-7	RG 25
1,2-Benzisothiazol-3(2H)-one - 2634-33-5	RG 65

Germany

Water hazard class (WGK) obviously hazardous to water (WGK 2).

Chemical Prohibition Ordinance (ChemVerbotsV)

This product is subject to requirements and restrictions regarding handling and delivery.

Chemical name	ANNEX I
Quartz (SiO ₂) 14808-60-7	1.2

TA Luft (German Air Pollution Control Regulation)

Chemical name	Number	Class
Quartz (SiO ₂)	5.2.7.1.1	-
Bronopol	5.2.4	Class II

TRGS 905 Not applicable.

Netherlands**Carcinogenic, mutagenic and reproductive toxic effects**

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins
Quartz (SiO ₂) - 14808-60-7	Present	-	-

Switzerland

Ordinance on the Incentive Tax on Volatile Organic Compounds (OVOC) SR 814.018 Not applicable.
Storage of Hazardous Material SC 10/12.
WPO (GSchV) SR 814.201; WPA (GSchG) SR 814.20 Not applicable.
Major Accidents Ordinance SR 814.012 Not applicable.

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Bronopol - 52-51-7	75	-
1,2-Benzisothiazol-3(2H)-one - 2634-33-5	75	-
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) - 55965-84-9	75	-

Persistent Organic Pollutants

Not applicable.

Ozone-depleting substances (ODS) regulation (EC) 2024/590

Not applicable.

EU - Plant Protection Products (1107/2009/EC)

Chemical name	EU - Plant Protection Products (1107/2009/EC)
Quartz (SiO ₂) - 14808-60-7	Plant protection agent

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
Bronopol - 52-51-7	Product-type 2: Disinfectants and algacides not intended for direct application to humans or animals Product-type 6: Preservatives for products during storage Product-type 11: Preservatives for liquid-cooling and processing systems Product-type 12: Slimicides Product-type 22: Embalming and taxidermist fluids
1,2-Benzisothiazol-3(2H)-one - 2634-33-5	Product-type 2: Disinfectants and algacides not intended for direct application to humans or animals Product-type 6: Preservatives for products during storage Product-type 9: Fibre, leather, rubber and polymerised materials preservatives Product-type 11: Preservatives for liquid-cooling and processing systems Product-type 12: Slimicides Product-type 13: Working or cutting fluid preservatives
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) - 55965-84-9	Product-type 2: Disinfectants and algacides not intended for direct application to humans or animals Product-type 4: Food and feed area Product-type 6: Preservatives for products during storage Product-type 11: Preservatives for liquid-cooling and processing systems Product-type 12: Slimicides Product-type 13: Working or cutting fluid preservatives

Explosives Precursors Marketing and Use (2019/1148)

Not applicable.

International Inventories

Contact supplier for inventory compliance status

15.2. Chemical safety assessment**Chemical Safety Report**

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of any hazard and/or precautionary statements referred to under Sections 2-15**

EUH071 - Corrosive to the respiratory tract

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H310 - Fatal in contact with skin

H312 - Harmful in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H335 - May cause respiratory irritation

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

P261 - Avoid breathing dust, fume, gas, mist, vapors and spray

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P321 - Specific treatment (see supplemental first aid instructions on this label)

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P362 + P364 - Take off contaminated clothing and wash it before reuse

P501 - Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable

Legend

ACGIH	American Conference of Governmental Industrial Hygienists
AIDII	Italian Association of Industrial Hygienists
ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)
AIIC	Australian Inventory of Industrial Chemicals
ATE	Acute Toxicity Estimate
ASTM	American Society for the Testing of Materials
bar	Biological Reference Values for Chemical Compounds in the Work Area
BAT	Biological tolerance values for occupational exposure
BEL	Biological exposure limits
bw	Body weight
Ceiling	Maximum limit value
CLP	Classification, Labelling and Packaging Regulation; Regulation (EC) No 1272/2008
CMR	Carcinogen, Mutagen or Reproductive Toxicant
DFG	German Research Foundation
DOT	Department of Transportation (United States)
DSL	Domestic Substances List (Canada)
ECHA	European Chemicals Agency
EC Number	European Community number
EmS	Emergency Schedule
ENCS	Existing and New Chemical Substances (Japan)
EPA	U.S. Environmental Protection Agency
EWC	European Waste Codes
GHS	Globally Harmonized System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO	International Civil Aviation Organisation
IECSC	Inventory of Existing Chemical Substances in China
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organisation for Standardisation
KECI	Korean Existing Chemicals Inventory
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
MAK	Maximum Concentration at the Workplace
MAL	Measuring Technical Hygienic Air Needs
MARPOL	International Convention for the Prevention of Pollution from Ships
MDLPS	Ministry of Labour and Social Policy
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observable Effect Loading Rate
NZIoC	New Zealand Inventory of Chemicals
OECD	Organization for Economic Cooperation and Development
OEL	Occupational exposure limits
PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	Philippines Inventory of Chemicals and Chemical Substances

PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
REACH	Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SDS	Safety Data Sheet
SL	Surface Limit
STEL	Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
SVHC	Substance of very high concern
TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TRGS	Technical Rule for Hazardous Substances
TSCA	Toxic Substances Control Act (United States)
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
As	Allergenic substance
DS	Dermal Sensitizer
Ot	Ototoxicant
pOt	Ototoxicant - potential to cause hearing disorders
PS	Photosensitiser
RS	Respiratory Sensitiser
S	Sensitizer
poS	Sensitizer - capable of causing occupational asthma
Sa	Simple asphyxiant
Sd	Skin designation
pSd	Skin designation - potential for cutaneous absorption
Sdv	Skin designation - vacated
Sk	Skin notation
dSk	Skin notation - danger of cutaneous absorption
pSk	Skin notation - potential for cutaneous absorption

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Chronic aquatic toxicity	Calculation method

Acute aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
 European Chemicals Agency (ECHA) (ECHA_API)
 U.S. Environmental Protection Agency
 Acute Exposure Guideline Level(s) (AEGl(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 Japan GHS Classification
 Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 U.S. National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications
 International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program
 International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set
 United Nations World Health Organization (WHO)

Issuing Date 12-09-2020

Supersedes date 07-27-2023

Revision date 06-10-2025

Revision Note Change to composition. Change in the mixture classification. SDS sections updated. 2. 3. 8. 11. 12.

This safety data sheet complies with the requirements of Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet